SUBJECT INDEX

Bold figures indicate the issue

Absorption factor of tungsten in the infrared range. Calculation of the temperature dependence of the – **5,** 25
– line in magnetically anisotropic particles. Concerning the – **2,** 12
Acoustic properties of gadolinium single crystals in the magnetic phase transition range **3,** 192
Ageing ferromagnetic alloy with isostructural precipitates of particles of a new phase. Spin waves in an – **4,** 1
– , two-stage, influencing structure transformations in β zirconium alloys **3,** 188
Alloy, ageing ferromagnetic, with isostructural precipitates of particles of a new phase. Spin waves in an – **4,** 1
– Al–2.8% Li, investigation of coalescence in – **3,** 111
– , Cr–Fe, the influence of high pressure and a magnetic field on magnetic ordering in a – **6,** 175
– $Fe_5Co_{70}Si_{15}B_{10}$ during thermomagnetic treatment as a function of the initial state. The formation of magnetic properties in amorphous – **3,** 56
– $Fe_5Co_{70}Si_{15}B_{10}$, relaxation processes and temperature-time stability of initial permeability in amorphous – **6,** 67
– , Fe–Cr, from uranium trace impurities. The role of defects in purification of an – **5,** 127
– , Fe–Ni, magnetoelastic decay and the ΔE-effect in an amorphous – **2,** 29
– $FePd_2Au$, polycrystalline, exchange anisotropy in the – **6,** 63
– , ferromagnetic, $Fe_{81}Si_{12}B_7$ in amorphous and crystalline states. Optical properties of – **6,** 59
– Fe_3Si, the order–disorder transition during mechanical fragmentation of – **2,** 119
– , high-cobalt, influence of deformation and temperature on the structure and mechanical properties of a – **2,** 159
– , iron–manganese austenitic, influence of HTMT on cold-shortness of an – **5,** 183
– KhN77TYuR, the influence of temperature and rate of deformation on dynamic recrystallization of single crystals of – **4,** 124
– , magnesium, after small deformation. Investigation of the changes in grain boundary structure during recrystallization of a – **3,** 121
– Mn_3B_4, magnetic properties of amorphous powders of – **2,** 49
– 63·1 at.% Ni–Al in tension. Structure of martensitic phases formed in – **5,** 136
– Ni–67·7 at.% Fe in magnetically ordered state. Neutron diffraction effects of structure distortion of – **6,** 109

– , niobium–titanium, saturated with helium. Microstructure and superconductive properties of – 6, 45
– $Sm_2Co_{10}Fe_{3\cdot2}Cu_{1\cdot2}Zr_{0\cdot4}$, investigation of the phase composition, structure and magnetic properties of – 2, 130
Alloying elements during diffusion annealing of titanium alloys. An investigation of the redistribution of the – 4, 114
Alloys, aluminium–zinc, high-temperature investigations of nuclear magnetic resonance in dilute – 3, 186
– , amorphous, a model of the structural changes during crystallization of – 1, 127
– , amorphous, containing chromium. Mössbauer study of hyperfine interactions in – 5, 79
– , binary, of low concentrations. Allowance for the three-body potential in short-range order theory for – 4, 7
– , Cu–Al–Co, containing random particles. Mechanical twinning and superplasticity effects in monocrystalline – 1, 133
– , dilute, with localized magnetic moments in a quantizing field. Longitudinal resistivity of – 2, 1
– , dispersion-hardened copper, influence of the cohesive strength of grain boundaries on deformation and structural characteristics of failure in – 6, 141
– , f.c.c. Fe–Ni, during the magnetic phase transition. Change in electronic structure of – 4, 191
– Fe–C and Fe–C–Si during heating. Non-equilibrium crystallization and structural transformations in microwires of – 2, 114
– $Fe_5Co_{70}Si_{15}B_{10}$ during annealing. Formation mechanism of magnetic properties in amorphous – 2, 22
– , Fe–Cr–Co magnet, concerning the structural features of decomposition in – 5, 115
– , Fe_xCr_{1-x}, magnetic phase diagram of – 5, 102
– , Fe–Mn–C, features of the f.c.c.→f.c.t. transition in the paramagnetic range of the γ phase in – 1, 179
– , $Fe_{1-x}Mn_xPd_3$, magnetic susceptibility of ordering – 4, 184
– , Fe–Ni, in martensitic state. The structure of sites of localized flow during strong deformation of – 6, 157
– , Fe–Ni–Si, and the influence of cobalt on the process. Investigation of the maraging of – 1, 117
– , high-manganese, influence of ε martensite on friction and wear of – 2, 123
– , high-nickel iron, on the thermodynamics of the martensitic transformation in – . The thermal effect 4 136
– , high-purity iron–nickel. Features of the martensitic transformation in – 5 121
– , iron–chromium–cobalt, influence of titanium on the magnetic properties and structure of – 6 172
– , iron–nickel–manganese, and the martensitic transformation induced by a strong magnetic field. Magnetostriction of the austenite of – 3, 115
– , magnetically ordered Pd, features of the electrical resistivity of – 4, 72
– , maraging iron–nickel, with different types of strengthening phases. Influence of high-temperature deformation on the structure and properties of – 5, 169

– $Mn_{1-x}Cr_xSb$, influence of high pressure on the magnetic properties of – 1, 83
– , Mn–Cu, in martensitic state. The structural mechanism of plastic deformation of – 2, 165
– of magnesium with dysprosium. An investigation of the decomposition of the supersaturated solid solution in – 4 98
– , metal–metalloid, structure and properties of sputtered amorphous films of transition – 6, 160
– , ordered $Fe_{1-x}Mn_xPd_3$. Magnetic properties of – 6, 82
– , ordered $(Fe_{1-x}Mn_x)Pt$, Magnetic phase transitions in – 6, 86
– , $Pt_3Mn_xFe_{1-x}$, with interacting magnetic order parameters. Eletrical resistivity of – 5, 109
– , $Sm_x(R, Gd)_{1-x}Co_5$ (R – Tb, Dy, Ho, Tm). Temperature coefficients of induction and the magnetic properties of – 6, 54
– , titanium, an investigation of the redistribution of the alloying elements during diffusion annealing of – 4, 114
– , titanium, influence of press-forging conditions on the structure formation in – 5, 144
– Ti–V and Ti–Zr, the influence of V and Zr rolling texture, recrystallization and anisotropy of Young's modulus in – 3, 101
– , Ti–Zr, Ti–Hf, Zr–Hf, and lattice instability. Short-range lamination in – 1, 124
– with phase transitions. Features of texture formation during production processing of – 1, 93
– , β zirconium, the influence of two-stage ageing on structure transformations in – 3, 188
Aluminium, on the nature of the double peak of resistivity during magnetic breakdown in – 3, 33
Americium, on the $\alpha \rightleftarrows \beta$ transition in – 2, 188
Analysis, group-theoretical, of the spin waves of complex crystals 1, 18
– of features of concentrated deformation in heterophase crystalline materials 3, 142
Anelasticity, grain-boundary, role of triple junctions in – 1, 159
Anisotropic particles, concerning the absorption line in magnetically – 2, 12
Anisotropy, "easy axis", and ferromagnetic resonance. Impurity atoms with "easy plane" anisotropy in a ferromagnet with – 3, 19
– , "easy plane", in a ferromagnet with "easy axis" anisotropy, and ferromagnetic resonance. Impurity atoms with – 3, 19
– , exchange, in the polycrystalline alloy $FePd_2Au$ 6, 63
– in space. Dependence of the magnetoresistance effect on the dispersion properties of permalloy films with allowance for angular dispersion of – 3, 45
– , magnetocrystalline, of dysprosium and erbium ions in RCo_5 compounds 2, 53
– of the anomalous Nernst–Ettinghausen effect in nickel–palladium single crystals 1, 57
– of Young's modulus in Ti–V and Ti–Zr alloys. The influence of V and Zr on rolling texture, recrystallization and – 3, 101
Annealing and the corresponding activation energy. The peak of point defect 3, 5
– , formation mechanism of magnetic properties in amorphous alloys $Fe_5Co_{70}Si_{15}B_{10}$ during – 2, 22
– of a surface-deformed steel. Relaxation of internal stresses during – 1, 191
– of Fe + 3% Si single crystals. The influence of sulphur and nitrogen on features of texture formation during deformation and – 2, 178

– of vacancy voids in thin metallic foils. Theory of the – 4, 67
– temperature influencing change in the properties of hydrogen-phase hardened palladium in a state of hydride embrittlement 6, 113
Anomalies of heat expansion in solid solutions of iron in α manganese 6, 163
– of the electrical resistivity in Ni_3Fe alloyed with Nb, Ta and V 6, 155
Athermal martensite, a thermodynamic condition for the formation of – 6, 179
Atomic ordering in solid solutions 2, 176
– order, long- and short-range, in the iron–nickel system 1, 111
Atoms, carbon, on quadrupolar interaction in Fe–Ni–C austenite. Influence of distribution of– 3, 89
– , nitrogen, at interstitial sites of ferrite at high temperatures. On the distribution of – 3, 183
Austenite alloys, influence of magnetic ordering on the properties of – 1, 99
– , Fe–Ni–C, influence of distribution of carbon atoms on quadrupolar interaction in – 3, 89
– in engineering steels. Concerning the morphology of retained – 4, 178
– of iron–nickel–manganese alloys and the martensitic transformation induced by strong magnetic field. Magnetostriction of the – 3, 115
– , on the interaction of impurities with grain boundaries in– 3, 96
– , reverted, in low-carbon nickel-molybdenum steels. Formation and stability of – 2, 99

Barkhausen discontinuity during cyclical remagnetization. Experimental investigation of fluctuations of the parameters of the large – 1, 89
B.c.c. metals, an electron microscopic investigation of α planar faults caused by boron in refractory – 6, 127
Beryllium, Mössbauer investigation of commercial – 3, 176
Bicrystals of silver, concerning the existence of a periodic superstructure of twist boundaries in thin-film – 5, 190
Boron in refractory b.c.c. metals. An electron microscopic investigation of α planar faults caused by – 6, 127
Boundary of two magnets. Magnetostatic surface waves on the – 3, 30
Brass, two-phase, topographical features of superplastic deformation of a – 3, 158
Brittle fractures in low-carbon and low-alloyed steels. Quantitative fractography and the structure of – 6, 117
Bronze, chromium, the influence of plastic deformation on the properties of – 4, 187
Bubbles, charged domain walls of – 2, 182

Calculation of a domain wall with the adjustment method 5, 74
– of the temperature dependence of the absorption factor of tungsten in the infrared range 5, 25
Carbon in holmium. Free diffusion of – 1, 168
Change in density of basal dislocations in the initial stage of plastic deformation on magnesium single crystals 1, 147
– in electronic structure of f.c.c. Fe–Ni alloys during the magnetic phase transition 4, 191
– in the properties of hydrogen-phase hardened palladium in a state of hydride embrittlement. Influence of annealing temperature on – 6, 113

– , on the, of flow stress in nickel in the low temperature range during variation of the magnetic field 6, 135
Changes in grain boundary structure during recrystallization of a magnesium alloy after small deformations. Investigation of the – 3, 121
– in the structure of martensite in high-nickel steel during low-temperature heating 4, 83
Chromium, low-alloyed, at temperatures 1400–1500 K. Features of structure formation during rolling of – 4, 143
– , Mössbauer study of hyperfine interactions in amorphous alloys containing – 5, 79
Coalescence in alloy Al–2·8% Li. Investigation of – 3, 111
Cobalt ferromagnetic, investigation of the nuclear echo phase in – 6, 152
– , influence of, on the process. Investigation of the maraging of Fe–Ni–Si alloys and the – 1, 117
Cohesive strength of grain boundaries on deformation and structural characteristics of failure in dispersion-hardened copper alloys. Influence of the – 6, 141
Cold shortness of an iron–manganese austenitic alloy. Influence of HTMT on – 5, 183
Compound $HfFe_2Si_2$, magnetic properties of – 3, 52
– Mo_3Si:, thermal capacity of, superconductivity and phonon spectrum softening 1, 67
– $SnMo_5S_6$, influence of reactor irradiation on the physical properties of – 5, 86
– V_3Si, an X-ray diffraction investigation of radiation defects in superconducting – 5, 131
Compounds $Ho(Co_{1-x}Ni_x)_5$, crystal structure and magnetic state of pseudobinary intermetallic – 3, 80
– , RCo_5, magnetocrystalline anisotropy of dysprosium and erbium ions in – 2, 53
– $Pr_xY_{1-x}Co_5$ and $Pr_xSm_{1-x}Co_5$, magnetic properties of single crystals of – 3, 74
Computer simulation, establishing a relation between the diffusion parameters and microscopic characteristics of point defects by – 3, 26
Concentration dependence of remagnetization fields of disordered solid solutions 5, 70
Conductivity of vanadium. Electronic thermal – 1, 12
Creep and rupture of directional eutectic γ/γ'–MeC. Modelling – 1, 152
– , high-temperature, and the dislocation structure of vanadium 4, 159
– in doped aluminium in the temperature range $(0{\cdot}2–0{\cdot}5)T_m$. The influence of impurity atmospheres on the effective activation energy for – 5, 158
– , in-reactor, on stress. Dependence of rate – 4, 154
– process, investigations of the ultrasonic effect on the transient – 1, 174
Crystal structure and magnetic state of pseudobinary intermetallic compounds $Ho \times (Co_{1-x}Ni_x)_5$ 3, 80
– , the, geometric features of a subgranular structure and their relation with the deformation texture 3, 126
Crystallization, non-equilibrium, and structural transformations in microwires of alloys Fe–C and Fe–C–Si during heating 2, 114
– of amorphous alloys. A model of the structural changes during – 1, 127
Crystals, complex, group-theoretical analysis of the spin waves of – 1, 18
– , deformed, influence of correlation in position of dislocations on X-ray diffraction by – 1, 1
– , elastically stressed cubic, magnetoacoustic vibrations in – 5, 50
– , one-atom, relation between the parameters of self-diffusion and equilibrium defects and the properties of – 2, 82

Cubic symmeltry and axial texture. The elastic properties of metals with – 6, 32
Curie point in ferromagnetic metals. On the anomalous solubility of hydrogen near the – 6, 168

Decay, magnetoelastic, and the ΔE-effect in an amorphous Fe–Ni alloy 2, 29
Decomposition, an investigation of the, of the supersaturated solid solution in alloys of magnesium with dysprosium 4, 98
– in Fe–Cr–Co magnet alloys. Concerning the structural features of – 5, 115
– , isomorphic, statistical modelling of – 6, 6
– of solid solutions. The vacancy pump as a mechanism of precipitate growth during – 4, 43
– of supersaturated aluminium solid solutions. Crystallographic aspects of the – 2, 59
Defects in purification of an Fe–Cr alloy from uranium trace impurities. The role of – 5, 127
Deformation and annealing of Fe+3% Si single crystals. The influence of sulphur and nitrogen on features of texture formation during – 2, 178
– and structural characteristics of failure in dispersion-hardened copper alloys. Influence of the cohesive strength of grain boundaries on – 6, 141
– and temperature influencing the structure and mechanical properties of a high-cobalt alloy 2, 159
– , influence of high-temperature, on the structure and properties of maraging iron–nickel alloys with different types of strengthening phases 5, 169
– in heterophase crystalline materials. Analysis of features of concentrated – 3, 142
– of Fe–Ni alloys in martensitic state. The structure of sites of localized flow during strong – 6, 157
– of iron in the presence of hydrogen. Concerning the nature of the anomalous spontaneous – 4, 165
– of silicon iron single crystals under condtions of hydrostatic pressure. Features of the plastic – 2, 154
– , plastic, of magnesium single crystals. Change in density of basal dislocations in the initial stage of – 1, 147
– texture, the crystal geometric features of a subgranular structure and their relation with the – 3, 126
Deformations, investigation of the changes in grain boundary structure during recrystallization of a magnesium alloy after small – 3, 121
Deformed crystals, influence of correlation in position of dislocations on X-ray diffraction by – 1, 1
Dependence of rate of in-reactor creep on stress 4, 154
– of the magnetoresistance effect on the dispersion properties of permalloy films with allowance for angular dispersin of anisotropy in space – 3, 45
Diffraction, an X-ray, investigation of the single-phase stage of martensite decomposition – 6, 99
– effects, neutron, of structure distortion of alloy Ni–67-7 at.% Fe in magnetically ordered state – 6, 109
– , X-ray, by deformed crystals. Influence of correlation in position of dislocations on – 1, 1

Diffusion annealing of titanium alloys. An investigation of the redistribution of the alloying elements during – 4, 114
– , free, of carbon in holmium 1, 168
– parameters and microscopic characteristics of point defects by computer simulation. Establishing a relation between the – 3, 26
Dislocation in Fe–Co solid solutions. Temperature dependence of resistance to motion of an edge – 4, 172
– of finite length. The velocity of a – 2, 170
– structure of solid solutions of the gold–platinum system. Failure during friction and the – 3, 149
– stnructure of vanadium. High-temperature creep and the – 4, 159
Dislocations and the mechanoluminescence of metals. The generation of holes during dissociation of – 1, 35
– basal, in the initial stage of plastic deformation of magnesium single crystals. Change in density of – 1, 147
– on X-ray diffraction by deformed crystals. Influence of correlation in position of – 1, 1
Dispersion of the speed of sound in Fe–Ni invars 1, 185
– properties of Permalloy films with allowance for angular dispersion of anisotropy in space. Dependence of the magnetoresistance effect on the– 3, 45
Dissolution of vanadium carbide in steel in the case of formation of a ferrite layer at the interface 4, 52
Distortion, structure, of alloy Ni–67·7 at.% Fe in magnetically ordered state. Neutron diffraction effects of – 6, 109
Distribution of carbon atoms influencing quadrupolar interaction in Fe–Ni–C austenite 3, 89
– of magnetization in small particles of iron and nickel. Electron microscopic investigation of – 5, 179
– , on the, of nitrogen atoms at interstitial sites of ferrite at high temperatures 3, 183
Domain tip propagation in thin films with low-coercivity channels 2, 197
– wall with the adjustment method. Calculation of a – 5, 74
– walls by a high-frequency uniform magnetic field. Parametric excitation of non-uniform oscillations of – 3, 173
– walls in ferromagnetic plates of non-uniform thickness. The properties of – 1, 42
– walls of bubbles. Charged – 2, 182
Domains, stripe, a micromagnetic investigation of – 4, 24
– , tips of, in thin ferromagnetic films. The structure of the – 6, 170
Doppler excitations in metals. On high-frequency – 6, 24

Effects, mechanical twinning and superplasticity, in monocrystalline Cu–Al–Cu alloys containing random particles 1, 133
– , transverse quadratic galvanomagnetic, in monocrystalline hematite near the Morin transition 1, 62
Elastic pair interaction potential of coherent particles in an anisotropic matrix 5, 41
Electrical conductivity, the, of polycrystalline specimens of metals with shape-size texture 1, 50
– resistivity in the system of solid solutions $GdZn_xMg_{1-x}$. Temperature dependences of magnetic susceptibility, magnetization and – 6, 36

– resistivity of magnetically ordered Pd alloys. Features of the – 4, 72
– resistivity of $Pt_3Mn_xFe_{1-x}$ alloys with interacting magnetic order parameters 5, 109
Electromagnetic excitations in noble metals 3, 11
Electron, an, microscopic investigation of α planar faults caused by boron in refractory b.c.c. metals 6, 127
– density for transition metals. Parametrized functionals of local – 4, 13
– energy and peculiarities of ordered systems with long periods. II. Existence of long period lattices at low temperatures 5, 29
– fluid in ferromagnets. A contribution to the theory magnon relaxation in a two-component – 6, 12
– magnetic spectrometer during rupture *in vacuo* and in air. Investigation of fracture surfaces in an – 4, 195
– microscopic investigation of distribution of magnetization in small particles of iron and nickel 5, 179
– microscopic investigation of the magnetic state of a plane single-layer ensemble of small Fe and Fe–Co particles 6, 166
Electronic structure of f.c.c. Fe–Ni alloys during the magnetic phase transition. Change in – 4, 191
– thermal conductivity of vanadium 1, 12
Electroplastic drawing, investigation of the structure and phase composition of stainless steel wire after – 4, 108
Embrittlement, influence of annealing temperature on change in the properties of hydrogen-phase hardened palladium in a state of hydride = 6, 113
Energy, activation, the peak of point defect annealing and the corresponding – 3, 5
– , effective activation, for creep in doped aluminium in the temperature range $(0{\cdot}2–0{\cdot}5)T_m$. The influence of impurity atmosphere on the – 5, 158
– of intergranular failure. Influence of structure elements on the – 1, 140
Enthalpy of vacancy formation and the f.c.t.⇄f.c.c. transition in the In–Tl system 5, 187
Equilibrium defects and the properties of one-atom crystals. Relation between the parameters of self-diffusion and – 2, 82
– , possible, states of the zirconium–hydrogen system in the low temperature range 4, 34
Exchange anisotropy in the polycrystalline alloy $FePd_2Au$ 6, 63
Excitation, parametric, of non-uniform oscillations of domain walls by a high-frequency uniform magnetic field 3, 173
Excitations, electromagnetic, in noble metals 3, 11

Failure during friction and the dislocation structure of solid solutions of the gold–platinum system 3, 149
– in dispersion-hardened copper alloys. Influence of the cohesive strenght of grain boundaries in deformation and structural characteristics of – 6, 141
– , intergranular, influence of structure elements on the energy of – 1, 140
– , on the diverse causes of grain-boundary – 3, 164
F.c.c. crystals, growth shapes of – 1, 188
Features of structure formation during rolling of low-alloyed chromium at temperatures 1400–1500 K 4, 143
– of texture formation during production processing of alloys with phase transitions 1, 93

– of the electrical resistivity of magnetically ordered Pd alloys 4, 72
– of the f.c.c.→f.c.t. transition in the paramagnetic range of the γ phase in Fe–Mn–C alloys 1, 179
– of the martensitic transformation in high-purity iron–nickel alloys 5, 121
– of the plastic deformation of silicon iron single crystals under conditions of hydrostatic pressure 2, 154
Fermi-liquid theory of localized magnetic moments in transition metals 4, 19
Ferrite at high temperatures. On the distribution of nitrogen atoms at interstitial sites of – 3, 183
– layer at the interface. Dissolution of vanadium carbide in steel in the case of formation of a – 4, 52
Ferromagnet, isotropic, the susceptibility of an – 4, 29
– with "easy axis" anisotropy, and ferromagnetic resonance. Impurity atoms with "easy plane" anisotropy in a – 3, 19
Ferromagnetic metals, on the anomalous solubility of hydrogen near the Curie point in – 6, 168
– plates of non-uniform thickness. The properties of domain walls in – 1, 42
– resonance, impurity atoms with "easy plane" anisotropy in a ferromagnet with "easy axis" anisotropy, and – 3, 19
– spin–glass phase transition. Cluster model of the – 1, 54
Ferromagnets, a contribution to the theory of magnon relaxation in a two-component electron fluid in – 6, 12
Fields, remagnetization, of disordered solid solutions. Concentrated dependence of – 5, 70
Films, ferromagnetic, the structure of the tips of domains in thin – 6, 170
– , Gd–Co, formation of internal magnetic domains during remagnetization of amorphous – 2, 34
– , MnBi, on the mechanism of thermomagnetic recording on – 2, 45
– , monocrystalline iron, under conditions of coincident nuclear magnetic and ferromagnetic resonance frequencies. The spin echo from impurity nuclei ^{59}Co, ^{63}Cu in – 2, 39
– , sputtered amorphous, of transition metal–metalloid alloys. Structure and properties of – 6, 160
– , thermo-emf of discontinuous metallic – 2, 190
– , two-layer, of iron and cobalt. Peculiarities of the Hall effect in – 3, 62
– with low-coercivity channels. Domain tip propagation in thin – 2, 197
Flow stress in nickel in the low temperature range during variation of the magnetic field. On the change of – 6, 135
Fluctuations of the parameters of the large Barkhausen discontinuity during cyclical remagnetization. Experimental investigation of – 1, 89
Fracture surfaces, investigation of, in an electron magnetic spectrometer during rupture *in vacuo* and in air 4, 195
Fractures, brittle, in low-carbon and low-alloyed steels. Quantitative fractography and the structure of – 6, 117
– of ferrite–pearlite steels. Plastic deformation in – 3, 137
Friction and wear of high-manganese alloys. Influence of ε martensite on – 2, 123

Gadolinium single crystals in the magnetic phase transition range. Acoustic properties of – 3, 192
Grain boundaries in austenite. On the interaction of impurities with – 3, 96
– boundaries with special misorientations in tungsten. Investigation of the structure of – 2, 185
– boundary an elasticity. Role of triple junctions in – 1, 159
– boundary failure, on the diverse causes of – 3, 164
– boundary structure during recrystallization of a manganesium alloy after small deformation. Investigation of the changes in – 3, 121

Hall effect in two-layer films of iron and cobalt. Peculiarities of the – 3, 62
– , the anomalous, in an antiferromagnetic metal 4, 181
Heat capacity of vanadium with an oxygen impurity at low temperatures 1, 172
– expansion in solid solutions of iron in α manganese. Anomalies of – 6, 163
Heating, low-temperature, changes in the structure of martensite in high-nickel steel during – 4, 83
– , non-equilibrium crystallization and structural transformations in microwires of alloys Fe–C and Fe–C–Si during – 2, 114
Heat treatment influencing the structure and long-time strength of nickel eutectic γ/γ′–MeC. The length memory effect 4, 118
Helium, microstructure and superconductive properties of a niobium–titanium alloy saturated with – 6, 45
Heusler alloys, concerning some features of – 5, 96
High pressure and a magnetic field influencing magnetic ordering in a Cr–Fe alloy 6, 175
High-temperature creep and the dislocation structure of vanadium 4, 159
– deformation influencing the structure and properties of maraging iron–nickel alloys with different types of strengthening phases 5, 169
– investigation of nuclear magnetic resonance in dilute aluminium–zinc alloys 3, 186
– shape memory in titanium nickelide 4, 175
– thermomechanical treatment influencing delayed rupture of a quanched engineering steel 2, 172
– X-ray investigation of the transformation of cementite into austenite 3, 170
High-temperatures, on the distribution of nitrogen atoms at interstitial sites of ferrite at – 3, 183
Holes, the generation of, during dissociation of dislocations and the mechanoluminescence of metals 1, 35
Holmium, free diffusion of carbon in – 1, 168
HTMT, influence of, on cold shortness of an iron–manganese austenitic alloy 5, 183
Hydroextrusion on the fine structure and tough fracture surface relief in steel 30KhGSN-2A. Influence of strain ageing on martensite by means of – 2, 143
– , the structure and properties of chromium-manganese austenitic steels strengthened by – 3, 106
Hydrogen, concerning the nature of the anomalous spontaneous deformation of iron in the presence of – 4, 165
– influencing the temperature of the thermoelastic martensitic transformation in titanium nickelide 3, 180

– in maraging steel. Trapping and solubility of – 2, 94
– near the Curie point in ferromagnetic metals. On the anomalous solubility of – 6, 168
Hydrostatic pressure, features of the plastic deformation of silicon iron single crystals under conditions of – 2, 154

Impurities with grain boundaries in austenite. On the interaction of – 3, 96
Impurity atmospheres on the effective activation energy for creep in doped aluminium in the temperature range $(0{\cdot}2–0{\cdot}5)T_m$. Then influence of – 5, 158
– atoms, Fe, in α Zr. The influence of additions of Sn, V, Cr, Mo, Nb and Ta on the local neighbourhood of – 6, 92
– atoms with "easy plane" anisotropy in a ferromagnet with "easy axis" anisotropy, and ferromagnetic resonance 3, 19
– nuclei ^{59}Co, ^{63}Cu in monocrystalline iron films under conditions of coincident nuclear magnetic and ferromagnetic resonance frequencies. The spin echo from – 2, 39
– , oxygen, at low temperatures. Heat capacity of vanadium with an – 1, 172
Influence of correlation in position of dislocations on X-ray diffraction by deformed crystals 1, 1
– of high pressure on the magnetic properties of alloys $Mn_{1-x}Cr_xSb$ 1, 83
– of HTMT on cold-shortness of an iron–manganese austenitic alloy 5, 183
– of magnetic ordering on the properties of austenite alloys 1, 99
– of ε martensite on friction and wear of high-manganese alloys 2, 123
– of press-forging conditions on the structure formation in titanium alloys 5, 144
– of reactor irradiation on the physical properties of compound $SnMo_5S_6$ 5, 86
– of strain ageing of martensite by means of hydroextrusion on the structure and tough fracture surface relief of steel 30KhGSN2A 2, 143
– of structure elements on the energy of intergranular failure 1, 140
– of the cohesive strength of grain boundaries on deformation and structural characteristics of failure in dispersion-hardened copper alloys 6, 141
– , the, of additions of Sn, V, Cr, Mo, Nb and Ta on the local neighbourhood of Fe impurity atoms in α Zr 6, 92
– , the, of degree of perfection of texture and crystal grain size on electromagnetic losses in a thin anisotropic Fe–3% Si tape 5, 91
– the, of high pressure on the formation kinetics of lath (packet) martensite 4, 76
– , the, of impurity atmospheres in the effective activation energy for creep in doped aluminium in the temperature range $(0{\cdot}2–0{\cdot}5)\,T_m$ 5, 158
– , the, of plastic deformation on the properties of chromium bronze 4, 187
– , the, of the composition of particles contained in the austenite on parameters of the $\gamma \rightleftarrows \alpha$ transformation 4, 104
– , the, of two-stage ageing on structure transformations in β zirconium alloys 3, 188
– , the, of V and Zr on rolling texture, recrystallization and anisotropy of Young's modulus in Ti–V and Ti–Zr alloys 3, 101
Interacting magnetic order parameters. Electrical resistivity of $Pt_3Mn_xFe_{1-x}$ alloys with – 5, 109
Interaction in Fe–Ni–C austenite. Influence of distribution of carbon atoms on quadrupolar – 3, 89
– , on the, of impurities with grain boundaries in austenite 3, 96

Interactions in amorphous alloys containing chromium. Mössbauer study of hyperfine – **5,** 79
Invars, Fe–Ni, dispersion of the speed of sound in – **1,** 185
Investigation, an electron microscopic, of α planar faults caused by boron in refractory b.c.c. metals **6,** 127
– , an, of the decomposition of the supersaturated solid solution in alloys of magnesium with dysprosium **4,** 98
– , an, of the redistribution of the alloying elements during diffusion annealing of titanium alloys **4,** 114
– electron microscopic, of the magnetic state of a plane single-layer ensemble of small Fe and Fe–Co particles **6,** 166
– of coalescence in alloy Al–2·8% Li **3,** 111
– of fracture surfaces in an electron magnetic spectrometer during rupture *in vacuo* and in air **4,** 195
– of magnetic and martensitic phase transitions in Vicalloy alloys **2,** 138
– of structural transformations during rupture of $\gamma+\varepsilon$ steel **4,** 150
– of the changes in grain boundary structure during recrystallization of a magnesium alloy after small deformations **3,** 121
– of the maraging of Fe–Ni–Si alloys and the influence of cobalt on the process **1,** 117
– of the nuclear echo phase in ferromagnetic cobalt **6,** 152
– of the phase composition, structure and magnetic properties of alloy $Sm_2Co_{10} \times Fe_{3\cdot2}Cu_{1\cdot2}Zr_{0\cdot4}$ **2,** 130
– of the structure and phase composition of stainless steel wire after electroplastic drawing **4,** 108
– of the structure of grain boundaries with special misorientations in tungsten **2,** 185
Investigations of the ultrasonic effect on the transient creep process **1,** 174
Ion implantation in metals. Limiting doses of – **3,** 1
Ions, dysprosium and erbium, in RCo_5 compounds. Magnetocrystalline anisotropy of – **2,** 53
Iron, ferromagnetic, at pressures up to 8 GPa. Nuclear magnetic resonance in – **1,** 183
– in the presence of hydroge. Concerning the nature of the anomalous spontaneous deformation of – **4,** 165
Irradiation, reactor, influencing the physical properties of compound $SnMo_5S_6$ **5,** 86
Isostructural precipitates of particles of a new phase. Spin waves in an ageing ferromagnetic alloy with – **4,** 1

Kinetics of lath (packet) martensite. The influence of high pressure on the formation – **4,** 76
– , the, of bulk melting and overheating of metals **2,** 106

Lamination, short-range, in Ti–Zr, Ti–Hf, Zr–Hf alloys and lattice instability **1,** 124
Lattice instability, short-range lamination in Ti–Zr, Ti–Hf, Zr–Hf alloys and – **1,** 124
Lattices at low temperatures. Electron energy and peculiariities of ordered sytems with long periods. II. Existence of long period – **5,** 29
Laves phases $PrAl_2$, $PrNi_2$. Line width of magnetic excitons in cubic compounds of – **3,** 67
Losses, electromagnetic, during exposure to elastic influences. Role of the macrostructure of a thin anisotropic Fe–3% Si ribbon in – **6,** 75

– , electromagnetic, in a thin anisotropic Fe–3% Si tape. The influence of degree of perfection of texture and crystal grain size on – 5, 91
Low-temperature range during variation of the magnetic field. On the change of flow stress in nickel in the – 6, 135
– range, possible equilibrium states of the zirconium–hydrogen system in the – 4, 34
– singularities of nuclear magnetic resonance in V_3Ga 1, 77
Low temperatures, heat capacity of vanadium with an oxygen impurity at – 1, 172

Magnetostructure, role of the, of a thin anisotropic Fe–3% Si ribbon in electromagnetic losses during exposure to elastic influences 6, 75
Magnesium single crystals. Change in density of basal dislocations in the initial stage of plastic deformation of – 1, 147
Magnet, non-isotropic, multisoliton solutions of the equations of a – 2, 17
Magnetic breakdown in aluminium. On the nature of the double peak of resistivity during – 3, 33
– domains during remagnetization of amorphous Gd–Co films. Formation of internal – 2, 34
– excitons in cubic compounds of Laves phases $PrAl_2$, $PrNi_2$. Line width of – 3, 67
– field, mahnetostriction of the austenite of iron–nickel–manganese alloys and the martensitic transformation induced by a strong – 3, 115
– field on magnetic ordering in a Cr–Fe alloy. The influence of high pressure and a – 6, 175
– field, on the change of flow stress in nickel in the low temperature range during variation of the – 6, 135
– field, parametric excitation of non-uniform oscillations of domain walls by a high-frequency uniform – 3, 173
– moments in transition metals. Fermi-liquid theory of localized – 4, 19
– ordering in a Cr–Fe alloy. The influence of high pressure and a magnetic field on – 6, 175
– ordering on the properties of austenite alloys. Influence of – 1, 99
– phase diagram of Fe_xCr_{1-x} alloys 5, 102
– phase transition. Change in electronic structure of f.c.c. Fe–Ni alloys during the 4, 191
– phase transition range. Acoustic properties of gadolinium single crystals in the – 3, 192
– phase transitions in ordered $(Fe_{1-x}Mn_x)Pt$ alloys 6, 86
– properties and structure of iron–chromium–cobalt alloys .Influence of titanium on the – 6, 172
– properties in amorphous alloys $Fe_5Co_{70}Si_{15}B_{10}$ during annealing. Formation mechanism of – 2, 22
– properties of alloy $Sm_2Co_{10}Fe_{3\cdot2}Cu_{1\cdot2}Zr_{0\cdot4}$. Investigation of the phase composition, structure and – 2, 130
– properties of alloys $Mn_{1-x}Cr_xSb$. Influence of high pressure on the – 1, 83
– properties of amorphous powders of alloy Mn_3B_4 2, 49
– properties of compund $HfFe_2Si_2$ 3, 52
– properties of ordered $Fe_{1-x}Mn_xPd_3$ alloys 6, 82
– properties of single crystals of compounds $Pr_xY_{1-x}Co_5$ and $Pr_xSm_{1-x}Co_5$ 3, 74
– properties of $Sm_x(R, Gd)_{1-x}Co_5$ alloys (R–Tb, Dy, Ho, Tm). Temperature coefficients of induction and the – 6, 54

– properties, the formation of, in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$ during thermomagnetic treatment as a function of the initial state 3, 56
state of a plane single-layer ensemble of small Fe and Fe–Co patricles. Electron microscopic investigation of the – 6, 166
– state of pseudobinary intermetallic compounds $Ho(Co_{1-x}Ni_x)_5$. Crystal structure and – 3, 80
– susceptibility, magnetization and electrical resistivity in the system of solid solutions $GdZn_xMg_{1-x}$. Temperature dependences of – 6, 36
– susceptibility of ordering alloys $Fe_{1-x}Mn_xPd_3$ 4, 184
Magnetically ordered state. Neutron diffraction effects of structure distortion of alloy Ni–67·7 at. % Fe in– 6, 109
Magnetization and electrical resistivity in the system of solid solutions $GdZn_xMg_{1-x}$. Temperature dependences of magnetic susceptibility, – 6, 36
– distribution in amorphous wires 6, 41
– in small particles of iron and nickel. Electron microscopic investigation of distribution of – 5, 179
Magnetoacoustic, the, size effect for shear waves in metals 6, 20
Magnetocrystalline anisotropy of dysprosium and erbium ions in RCo_5 compounds 2, 53
Magnetoelastic decay and the ΔE-effect in an amorphous Fe–Ni alloy 2, 29
Magnetoresistance effect, dependence of the, on the dispersion properties of Permalloy films with allowance for angular dispersion of anisotropy in space 3, 45
Magnetostatic surface waves on the boundary of two magnets 3, 30
Magnetostriction of the austenite of iron–nickel–manganese alloys and the martensitic transformation induced by a strong magnetic field 3, 115
Magnets, magnetostatic surface waves on the boundary of two – 3, 30
Magnon relaxation in a two-component electron fluid in ferromagnets. A contribution to the theory of – 6, 12
Manganese, α, anomalies of heat expansion in solid solutions of iron in – 6, 163
Maraging of Fe–Ni–Si alloys and the influence of cobalt on the process. Investigation of the – 1, 117
– steel N18K9M5T at temperatures 113–773 K. Stress relaxation in – 1, 165
– steel, trapping and solubility of hydrogen in – 2, 94
Martensite decomposition, an X-ray diffraction investigation of the single-phase stage of – 6, 99
– , ε, influencing the friction and wear of high-manganese alloys 2, 123
– in high-nickel steel during low-temperature heating. Changes in the structure of – 4, 83
– , the influence of high pressure on the formation kinetics of lath (packet) – 4, 76
Martensitic phases formed in alloy 63·1 at. % Ni–Al in tension. Structure of – 5, 136
– state, the structural mechanism of plastic deformation of Mn–Cu alloys in – 2, 165
– state, the structure of sites of localized flow during strong deformation of Fe–Ni alloys in – 6, 157
– transformation in high-nickel iron alloys. On the thermodynamics of the –. The thermal effect 4, 136
– transformation induced by a strong magnetic field. Magnetostriction of the austenite of iron–nickel–manganese alloys and the – 3, 115

– transformation in high-purity iron–nickel alloys. Features of the – 5, 121
– transformations in low-carbon nickel–molybdenum steels 4, 89
Materials, heterophase crystalline, analysis of features of concentrated deformation in – 3, 142
Matrix, anisotropic, elastic pair interaction potential of coherent particles in an – 5, 41
Mechanical properties of a high-cobalt alloy. Influence of deformation and temperature on the structure and – 2, 159
– twinning and superplasticity effects in monocrystalline Cu–Al–Co alloys containing random particles 1, 133
Mechanism, formation, of magnetic properties in amorphus alloys $Fe_3Co_{70}Si_{15}B_{10}$ during annealing 2, 22
– of precipitate growth during decomposition of solid solutions. The vacancy pump as a — 4, 43
– of thermomagnetic recording on MnBi films. On the – 2, 45
– , shape memory, the inheritance of twin boundaries as a – 6, 1
– , the structural, of plastic deformation of Mn--Cu alloys in martensitic state 2, 165
Mechanoluminescence of metals. The generation of holes during dissociation of dislocations and the – 1, 35
Melting and overheating of metals. The kinetics of bulk – 2, 106
Metal, antiferromagnetic, the anomalous Hall effect in an – 4, 181
Metallic films. Thermo-emf. of discontinuous – 2, 190
– foils, theory of the annealing of vacancy voids in thin – 4, 67
Metals, limiting doses of ion implantation in – 3, 1
– , on high-frequency Doppler excitations in – 6, 24
– , quantum spin-acoustic waves and sound in – 5, 1
– , the generation of holes during dissociation of dislocations and the mechanoluminescence of – 1, 35
– , the kinetics of bulk melting and overheating of – 2, 106
– , the magnetoacoustic size effect for shear waves in – 6, 20
– with cubic symmetry and axial texture. The elastic properties of – 6, 32
– with shape-size texture. The electrical conductivity of polycrystalline specimens of – 1, 50
Method, adjustment, calculation of a domain wall with the – 5, 74
Micro*m*agnetic, a, investigation of stripe domains 4, 24
Microscopic characteristics of point defects by computer simulation. Establishing a relation between the diffusion parameters and – 3, 26
Microstructure and superconductive properties of a niobium–titanium alloy saturated with helium 6, 45
Microwires of alloys Fe–C and Fe–C–Si during heating. Non-equilibrium crystallization and structural transformations in – 2, 114
Misorientations in tungsten. Investigation of the structure of grain boundaries with special – 2, 185
Model, a, of the structural changes during crystallization of amorphous alloys 1, 127
– , a physical, of transformation plasticity 4, 59
– , cluster, of the ferromagnetic spin–glass phase transition 1, 54
Modelling creep and rupture of directional eutectic γ/γ'–MeC 1, 152
– statistical, of isomorphic decomposition 6, 6

Monocrystalline hematite near the Morin transition. Transverse quadratic galvanomagnetic effects in – **1,** 62
Morin transition, transverse quadratic galvanomagnetic effects in monocrystalline hematite near the – **1,** 62
Mössbauer investigation of commercial beryllium **3,** 176
Mössbauer study of hyperfine interactions in amorphous alloys containing chromium **5,** 79
Motion of an edge dislocation in Fe–Co solid solutions. Temperature dependence of resistance to – **4,** 172
Multisoliton solutions of the equations of a non-isotropic magnet **2,** 17

Nature, concerning the, of the anomalous spontaneous deformation of iron in the presence of hydrogen **4,** 165
– , on the, of the double peak of resistivity during magnetic breakdown in aluminium **3,** 33
Nernst–Ettinghausen effect in nickel–palladium single crystals. Anisotropy of the anomalous – **1,** 57
Neutron diffraction effects of structure distortion of alloy Ni–67·7 at.% Fe in magnetically ordered state **6,** 109
Nickel eutectic γ/γ'–MeC. Influence of heat treatment on the structure and long-time strength of –. The length memory effect **4,** 118
– in the low temperature range during variation of the magnetic field. On the change of flow stress in – **6,** 135
Nickelide, high-temperature shape memory in titanium – **4,** 175
Nitrogen and sulphur influencing features of texture formation during deformation and annealing of Fe+3% Si single crystals **2,** 178
– atoms at interstitial sites of ferrite at high temperatures. On the distribution of – **3,** 183
Noble metals, electromagnetic excitations in – **3,** 11
Nuclear echo phase in ferromagnetic cobalt. Investigation of the – **6,** 152
– magnetic resonance in dilute aluminium–zinc alloys. High-temperature investigation of – **3,** 186
– magnetic resonance in ferromagnetic iron at pressure up to 8 GPa **1,** 183
– magnetic resonance in V_3Ga. Low-temperature singularities of – **1,** 77
Nuclei ^{59}Co, ^{63}Cu in monocrystalline iron films under conditions of coincident nuclear magnetic and ferromagnetic resonance frequencies. The spin echo from impurity – **2,** 39

Optical properties of ferromagnetic alloy $Fe_{81}Si_{12}B_7$ in amorphous and crystalline states **6,** 59
Order–disorder, the, transition during mechanical fragmentation of alloy Fe_3Si **2,** 119
Oredered systems with long periods. Electron energy and peculiarities of –. II. Existence of long period lattices at low temperatures **5,** 29
Ordering alloys $Fe_{1-x}Mn_xPd_3$. Magnetic susceptibility of – **4,** 184
– , complex, in solid solutions with $\omega(0)$ phase structure **5,** 149
Oscillations of domain walls by a high-frequency uniform magnetic field. Parametric excitation of non-uniform – **3,** 173
Overheating of metals. The kinetics of bulk melting and – **2,** 106
Oxygen impurity at low temperatures. Heat capacity of vanadium with an – **1,** 172

Palladium, hydrogen-phase hardened, in a state of hydride embrittlement. Influence of annealing temperature on change in the properties of – **6,** 113
Particles of iron and nickel. Electron microscopic investigation of distribution of magnetization in a small – **5,** 179
– , small Fe and Fe–Co. Electron microscopic investigation of the magnetic state of a plane single-layer ensemble of – **6,** 166
Peculiarities of the Hall effect in two-layer films of iron and cobalt **3,** 62
Perfection of texture and crystal grain size on electromagnetic losses in a thin anisotropic Fe–3% Si tape. The influence of degree of – **5,** 91
Permalloy films with allowance for angular dispersion of anisotropy in space. Dependence of the magnetoresistance effect on the dispersion properties of – **3,** 45
Permeability, initial, in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$. Relaxation processes and temperature-time stability of – **6,** 67
Phase composition, structure and magnetic properties of alloy $Sm_2Co_{10}Fe_{3\cdot2}Cu_{1\cdot2}Zr_{0\cdot4}$. Investigation of the – **2,** 130
– , γ, in Fe–Mn–C alloys. Features of the f.c.c.→f.c.t. transition in the paramagnetic range of the – **1,** 179
– , magnetic and martensitic, transitions in Vicalloy alloys. Investigation of – **2,** 138
– , $\omega(0)$ structure, complex ordering in solid solutions with – **5,** 149
– transition, change in electronic structure of f.c.c. Fe–Ni alloys during the magnetic – **4,** 191
– transition, cluster model of the ferromagnetic spin–glass – **1,** 54
– transitions, features of texture formation during production processing of alloys with – **1,** 93
Phases, strengthening, influence of high-temperature deformation on the structure and properties of maraging iron–nickel alloys with different types of – **5,** 169
Phonon spectrum softening. Thermal capacity of compound Mo_3Si: superconductivity and – **1,** 67
Plastic deformation in fractures of ferrite-pearlite steels **3,** 137
– deformation of magnesium single crystals. Change in density of basal dislocations in the initial stage of – **1,** 147
– deformation of Mn–Cu alloys in martensitic state. The structural mechanism of – **2,** 165
– deformation of silicon iron single crystals under conditions of hydrostatic pressure. Features of the – **2,** 154
– deformation on the properties of chromium bronze. The influence of – **4,** 187
Point defect annealing and the corresponding activation energy. The peak of – **3,** 5
– defects by computer simulation. Establishing a relation between the diffusion parameters and microscopic characteristics of – **3,** 26
Polycrystalline specimens of metals with shape-size texture. The electrical conductivity of – **1,** 50
Polycrystals, determination of the elastic constants of single crystals in terms of the technical constants of – **1,** 177
Potential, allowance for the three-body, in short-range order theory for binary alloys of low concentrations **4,** 7
– of coherent particles in an anisotropic matrix. Elastic pair interaction – **5,** 41

Powders of alloy Mn_3B_4. Magnetic properties of amorphous – **2,** 49
– , ultrafine, during sintering. On features of the recrystallization of – **4,** 131
Precipitate growth during decomposition of solid solutions. The vacancy pump as a mechanism of – **4,** 43
Press-forging conditions on the structure formation in titanium alloys. Influence of – **5,** 144
Pressure, high, on the magnetic properties of alloys $Mn_{1-x}Cr_xSb$. Influence of – **1,** 83
Pressures, high dynamic, influencing the structure and mechanical properties of martensitic steels 38KhS and 30KhGSN2A **6,** 148
Properties and the nature of strengthening in steels tempered under load. Recovery of the – **2,** 148
– of chromium bronze. The influence of plastic deformation on the – **4,** 187
– of one-atom crystals. Relation between the parameters of self-diffusion and equilibrium defects and the – **2,** 82
– , one-electron and many-electron, of the 4*f* electron system in rare-earth compounds in the weak exchange limit **5,** 59
– , physical, of compound $SnMo_5S_6$. Influence of reactor irradiation on the – **5,** 86
– , the elastic, of metals with cubic symmetry and axial texture **6,** 32
– , the, of domain walls in ferromagnetic plates of non-uniform thickness **1,** 42
Purification of an Fe–Cr alloy from uranium trace impurities. The role of defects in – **5,** 127

Quantitative fractography and the structure of brittle fractures in low-carbon and low-alloyed steels **6,** 117
Quantizing field, longitudinal resistivity of dilute alloys with localized magnetic moments in a – **2,** 1
Quantum spin-acoustic waves and sound in metals **5,** 1

Radiation defects in superconducting compound V_3Si. An X-ray diffraction investigation of – **5,** 131
Rare-earth compounds in the weak exchange limit. One-electron and many-electron properties of the 4*f* electron system in – **5,** 59
Reactor irradiation on the physical properties of compound $SnMo_5S_6$. Influence of – **5,** 86
Recovery of the properties and the nature of strengthening in steels tempered under load **2,** 148
Recrystallization and anisotropy of Young's modulus in Ti–V and Ti–Zr alloys. The influence of V and Zr on rolling texture, – **3,** 101
– of a magnesium alloy after small deformations. Investigation of the changes in grain boundary structure during – **3,** 121
– of single crystals of alloy KhN77TYuR. The influence of temperature and rate of deformation on dynamic – **4,** 124
Redistribution of the alloying elements during diffusion annealing of titanium alloys. An investigation of the – **4,** 114
Relation between the parameters of self-diffusion and equilibrium defects and the properties of one-atom crystals **2,** 82
– , establishing a, between the diffusion parameters and microscopic characteristics of point defects by computer simulation **3,** 26
Relaxation of internal stresses during annealing of a surface-deformed steel **1,** 191
– processes and temperature-time stability of initial permeability in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$ **6,** 67

– , stress, in maraging steel N18K9M5T at temperatures 113–773 K 1, 165
Remagnetization, cyclical, experimental investigation of fluctuations of the parameters of the large Barkhausen discontinuity during – 1, 89
– of amorphous Gd–Co films. Formation of internal magnetic domains during – 2, 34
Resistance to motion of an edge dislocation in Fe–Co solid solutions. Temperature dependence of – 4, 172
Resistivity during magnetic breakdown in aluminium. On the nature of the double peak of – 3, 33
– , electrical, in Ni_3Fe alloyed with Nb, Ta and V. Anomalies of the – 6, 155
– , electrical, of $Pt_3Mn_xFe_{1-x}$ alloys with interacting magnetic order parameters 5, 109
– , longitudinal, of dilute alloys with localized magnetic moments in a quantizing field 2, 1
Resonance frequencies, the spin echo from impurity nuclei ^{59}Co, ^{63}Cu in monocrystalline iron films under conditions of coincident nuclear magnetic and ferromagnetic – 2, 39
– , nuclear magnetic, in dilute aluminium–zinc alloys. High-temperature investigations of – 3, 186
– , nuclear magnetic, in ferromagnetic iron at pressures up to 8 GPa 1, 183
– , nuclear magnetic, in V_3Ga. Low-temperature singularities of – 1, 77
Ribbon, anisotropic Fe–3% Si, in electromagnetic losses during exposure to elastic influences. Role of the macrostructure of a thin – 6, 75
Rolling of low-alloyed chromium at temperature 1400–1500 K. Features of structure formation during – 4, 143
– texture, recrystallization and anisotropy of Young's modulus in Ti–V and Ti–Zr alloys. The influence of V and Zr on – 3, 101
Rupture *in vacuo* and in air. Investigation of fracture surfaces in an electron magnetic spectrometer during – 4, 195
– of a quenched engineering steel. Influence of high-temperature thermomechanical treatment on delayed – 2, 172
– of directional eutectic γ/γ'–MeC. Modelling creep and – 1, 152
– of $\gamma+\varepsilon$ steel. Investigation of structural transformations during – 4, 150

Shape memory, high-temperature, in titanium nickelide 4, 175
– memory mechanism. The inheritance of twin boundaries as a – 6, 1
Shear waves in metals. The magnetoacoustic size effect for – 6, 20
Silicon iron single crystals under conditions of hydrostatic pressure. Features of the plastic deformation of – 2, 151
Single crystals, anisotropy of the anomalous Nernst–Ettinghausen effect in nickel–palladium – 1, 57
– , Fe+3% Si, the influence of sulphur and nitrogen on features of texture formation during deformation and annealing of – 2, 178
– in term of the technical constants of polycrystals. Determination of the elastic constant of – 1, 177
– in the magnetic phase transition range. Acoustic properties of gadolinium – 3, 192
– , magnesium, change in density of basal dislocations in the initial stage of elastic deformation of – 1, 147
– of alloy KhN77YuR. The influence of temperature and rate of deformation on dynamic recrystallization of – 4, 124

– of compounds $Pr_xY_{1-x}Co_5$ and $Pr_xSm_{1-x}Co_5$. Magnetic properties of – 3, 74
– under conditions of hydrostatic pressure. Features of the plastic deformation of silicon iron – 2, 154
Sintering, on features of the recrystallization of ultrafine powders during – 4, 131
Soft mode, field-induced incommensurate structures and the concept of a – 3, 41
Solid solution in alloys of magnesium with dysprosium. An investigation of the decomposition of the supersaturated – 4, 98
Solid solutions, atomic ordering in – 2, 176
– , complex ordering in, with $\omega(0)$ phase structure 5, 149
– , disordered, concentration dependence of remagnetization fields of – 5, 70
– , Fe–Co, temperature dependence of resistance to motion of an edge dislocation in – 4, 172
– $GdZn_xMg_{1-x}$, temperature dependence of magnetic susceptibility, magnetization and electrical resistivity in the system of – 6, 36
– of iron in α manganese. Anomalies of heat expansion in – 6, 163
– of the gold–platinum system. Failure during friction and the dislocation structure of – 3, 149
– , structure of decomposed Cr–Co and Cr–Ni – 5, 193
– , supersaturated aluminium. Crystallographic aspects of the decomposition of – 2, 59
– , the vacancy pump as a mechanism of precipitate growth during decomposition of – 4, 43
Solubility of hydrogen near the Curie point in ferromagnetic metals. On the anomalous – 6, 168
Sound in Fe–Ni invars. Dispersion of the speed of – 1, 185
– in metals. Quantum spin-acoustic waves and – 5, 1
Spectrometer, electron magnetic, during rupture *in vacuo* and in air. Investigation of structure surface in an – 4, 195
Spectrum, phonon, softening. Thermal capacity of compound Mo_3Si: superconductivity and – 1, 67
Spin, the, echo from impurity nuclei ^{59}Co, ^{63}Cu on monocrystalline iron films under conditions of coincident nuclear magnetic and ferromagnetic resonance frequencies 2, 39
– waves in an ageing ferromagnetic alloy with isostructural precipitates of particles of a new phase 4, 1
– waves of complex crystals. Group-theoretical analysis of the – 1, 18
Spin–glass phase transition. Cluster model of the ferromagnetic – 1, 54
Stability, formation and, of reverted austenite in low-carbon nickel-molybdenum steels 2, 99
– , temperature-time, of initial permeability in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$. Relaxation processes and – 6, 67
Statistical modelling of isomorphic decomposition 6, 6
Steel, high-nickel, during low-temperature heating. Changes in the structure of martensite in – 4, 83
– , $\gamma+\varepsilon$, investigation of structural transformations during rupture of – 4, 150
– 30KhGSN2A, influence of strain ageing of martensite by means of hydroextrusion on the fine structure and tough fracture surface relief in – 2, 143
– N18K9M5T at temperatures 113–773 K. Stress relaxation in maraging – 1, 165
– , quenched engineering, influence of high-temperature thermomechanical treatment on delayed rupture of a – 2, 172

– , surface-deformed, relaxation of internal stresses during annealing of a – 1, 191
Steels, cast low-pearlite, with small additions of vanadium. Strengthening of – 2, 193
– , chromium-manganese austenitic, strengthened by hydroextrusion. The structure and properties of – 3, 106
– , engineering, concerning the morphology of retained austenite in – 4, 178
– , ferrite–pearlite, plastic deformation in fractures of – 3, 137
– , low-carbon and low-alloyed. Quantitative fractography and the structure of brittle fractures in – 6, 117
– , low-carbon nickel-molybdenum. Formation and stability of reverted austenite in – 2, 99
– , low-carbon nickel–molybdenum, martensitic transformations in – 4, 89
– , martensitic, 38KhS and 30KhGSN2A. Influence of high dynamic pressures on the structure and mechanical properties of – 6, 148
– tempered under load. Recovery of the properties and the nature of strenthening in – 2, 148
Strain ageing of martensite by means of hydroextrusion on the fine structure and tough fracture surface relief in steel 30KhGSN2A. Influence of – 2, 143
Strengthening in steels tempered under load. Recovery of the properties and the nature of – 2, 148
– of cast low-pearlite steels with small additions of vanadium 2, 193
Stress, dependence of rate of in-reactor creep on – 4, 154
– relaxation in maraging steel N18K9M5T at temperatures 113–773 K 1, 165
Stresses during annealing of a surface-deformed steel. Relaxation of internal – 1, 191
Structural changes during crystallization of amorphous alloys. A model of the – 1, 127
– features of decomposition in Fe–Cr–Co magnet alloys. Concerning the – 5, 115
– transformations during rupture of $\gamma+\varepsilon$ steel. Investigation of – 4, 150
– transformations in microwires of alloys Fe–C and Fe–C–Si during heating. Non-equilibrium crystallization and – 2, 114
Structure and magnetic properties of alloy $Sm_2Co_{10}Fe_{3\cdot2}Cu_{1\cdot2}Zr_{0\cdot4}$. Investigation of the phase composition, – 2, 130
– and mechanical properties of a high-cobalt alloy. Influence of deformation and temperature on the – 2, 159
– and mechanical properties of martensitic steels 38KhS and 30KhGSN2A. Influence of high dynamic pressures on the – 6, 148
– and phase composition of stainless steel wire after elecroplastic drawing. Investigation of the – 4, 108
– and properties of maraging iron–nickel alloys with different types of strengthening phases. Influence of high-temperature deformation on the – 5, 160
– and properties of sputtered amorphous films of transition metal–metalloid alloys 6, 169
– elements influencing the energy in intergranular failure 1, 140
– formation, feature of, during rolling of low-alloyed chromium at temperature 1400 –1500 K 4, 143
– formation in titanium alloys. Influence of press-forging conditions on the – 5, 144
– of brittle fractures in low-carbon and low-alloyed steels. Quantitative fractography and the – 6, 117
– of decomposed Cr–Co and Cr–Ni solid solutions 5, 193

– of grain boundaries with special misorientations in tungsten. Investigation of the – **2,** 185
– of iron–chromium–cobalt alloys. Influence of titanium on the magnetic properties and – **6,** 172
– of martensite in high-nickel steel during low-temperature heating. Changes in the – **4,** 83
– of martensitic phases formed in alloy 63·1 at.% Ni–Al in tension **5,** 136
–, subgranular, and their relation with the deformation texture. The crystal geometric features of a – **3,** 126
–, the, and properties of chromium-manganese austenitic steels strengthened by hydroextrusion **3,** 106
–, the, of sites of localized flow during strong deformation of Fe–Ni alloys in martensitic state **6,** 157
–, the, of the tips of domains in thin ferromagnetic films **6,** 170
– transformations in β zirconium alloys. The influence of two-stage ageing on – **3,** 188
Structures, conditions of formation of modulated (quasiperiodic) – **1,** 28
–, field-induced incommensurate, and the concept of a soft mode **3,** 41
Sulphur and nitrogen influencing features of texture formation during deformation and annealing of Fe+3% Si single crystals **2,** 178
Superconductive and microstructure properties of a niobium–titanium alloy saturated with helium **6,** 45
Superconductivity and phonon spectrum softening. Thermal capacity of compound Mo_3Si: – **1,** 67
Superplastic deformation of a two-phase brass. Topographical features of – **3,** 158
Superplasticity effects in monocrystalline Cu–Al–Co alloys containing random particles. Mechanical twining and – **1,** 133
Superstructure of twist boundaries in thin-film bicrystals of silver. Concerning the existence of a periodic – **5,** 190
Snface waves on the boundary of two magnets. Magnetostatic – **3,** 30
Susceptibility, the, of an isotropic ferromagnet **4,** 29
System, 4*f* electron, in rare-earth compounds in the weak exchange limit. One-electron and many-electron properties of the – **5,** 59
–, gold–platinum, failure during friction and the dislocation structure of solid solutions of the – **3,** 149
–, In–Tl, enthalpy of vacancy formation and the f.c.t.⇄f.c.c. transition in the – **5,** 187
–, iron–nickel, long- and short-range atomic order in the – **1,** 111
– of solid solutions $GdZn_xMg_{1-x}$. Temperature dependences of magnetic susceptibility, magnetization and electrical resistivity in the – **6,** 36
–, zirconium–hydrogen, in the low temperature range. Possible equilibrium states of the – **4,** 34

Temperature and deformation influencing the structure and mechanical properties of a high-cobalt alloy **2,** 159
– and rate of deformation influencing dynamic recrystallization of single crystals of alloy KhN77TYuR **4,** 124
– coefficients of induction and the magnetic properties of $Sm_x(R, Gd)_{1-x}Co_5$ alloys (R–Tb, Dy, Ho, Tm) **6,** 54

– dependences of magnetic susceptibility, magnetization and electrical resistivity in the system of solid solutions $GdZn_xMg_{1-x}$ 6, 36
– dependence of resistance to motion of an edge dislocation in Fe–Co solid solutions 4, 172
– dependence of the absorption factor of tungsten in the infrared range. Calculation of the – 5, 25
– of the thermoelastic martensitic transformation in titanium nickelide. Influence of hydrogen on the – 3, 180
Temperatures 1400–1500 K, features of structure formation during rolling of low-alloyed chromium at – 4, 143
Texture, axial, the elastic properties of metals with cubic symmetry and – 6, 32
– formation during deformation and annealing of Fe+3% Si single crystals. The influence of sulphur and nitrogen on features of – 2, 178
– formation, features of, during production processing of alloys with phase transitions 1, 93
– , shape-size, the electrical conductivity of polycrystalline specimens ofm etals with – 1, 50
Theory of magnon relaxation in a two-component electron fluid in ferromagnets. A contribution to the – 6, 12
– of the annealing of vacancy voids in thin metallic foils 4, 67
– , short-range order, for binary alloys of low concentrations. Allowance for the three-body potential in – 4, 7
Thermal capacity of compound Mo_3Si: superconductivity and phonon spectrum softening 1 67
– effect. On the thermodynamics of the martensitic transformation in high-nickel iron alloys. The – 4, 136
Thermodynamic, a, condition for the formation of athermal martensite 6, 179
Thermo-emf of discontinuous metallic films 2, 190
Thermomagnetic recording on MnBi films. On the mechanism of – 2, 45
Titanium influencing the magnetic properties and structure of iron–chromium–cobalt alloys 6, 172
– nickelide. High-temperature shape memory in – 4, 175
– nickelide, influence of hydrogen on the temperature of the thermoelastic martensitic transformation in – 3, 180
Transformation in titanium nickelide. Influence of hydrogen on the temperature of the thermoelastic martensitic – 3, 180
– of cementite into austenite. High-temperature X-ray investigation of the – 3, 170
– plasticity, a physical model of – 4, 59
– , $\gamma \rightleftarrows \alpha$, the influence of the composition of particles contained in the austenite on parameters of the – 4, 104
Transformations during rupture of $\gamma+\varepsilon$ steel. Investigation of structural – 4, 150
– in microwires of alloys Fe–C and Fe–C–Si during heating. Non-equilibrium crystallization and structural – 2, 114
Transition, cluster model of the ferromagnetic spin–glass phase – 1, 54
– , f.c.c.→f.c.t., in the paramagnetic range of the γ phase in Fe–Mn–C alloys. Features of the – 1, 179
– , f.c.t.$\rightleftarrows$f.c.c., in the In–Tl system. Enthalpy of vacancy formation and the – 5, 187
– , $\alpha \rightleftarrows \beta$, in americium. On the – 2, 188
– metal–metalloid alloys. Structure and properties of sputtered amorphous films of – 6, 160
– , the order–disorder, during mechanical fragmentation of alloy Fe_3Si 2, 119

Transition metals, Fermi-liquid theory of localized magnetic moments in – **4,** 19
– , parametrized functionals of local electron density for – **4,** 13
Transitions in Vicalloy alloys. Investigation of magnetic and martensitic phase – **2,** 138
– , magnetic phase, in ordered $(Fe_{1-x}Mn_x)Pt$ alloys **6,** 86
Treatment, thermomagnetic, as a function of the initial state. The formation of magnetic properties in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$ during – **3,** 56
Tungsten in the infrared range. Calculation of the temperature dependence of the absorption factor of – **5,** 25
– , investigation of the structure of grain boundaries with special misorientations in – **2,** 185
Twin boundaries as a shape memory mechanism. The inheritance of – **6,** 1
Twinning, mechanical, and superplasticity effects in monocrystalline Cu–Al–Co alloys containing random particles **1,** 133
Twist boundaries in thin-film bicrystals of silver. Concerning the existence of a periodic superstructure of – **5,** 190

Ultrasonic effect on the transient creep process. Investigations of the – **1,** 174
Uranium trace impurities. The role of defects in purification of an Fe–Cr alloy from – **5,** 127

Vacancy formation and the f.c.t.⇄f.c.c. transition in the In–Tl system. Enthalpy of – **5,** 187
– , the, pump as a mechanism of precipitate growth during decomposition of solid solutions **4,** 43
– voids in thin metallic foils. Theory of the annealing of – **4,** 67
Vanadium carbide in steel in the case of formation of a ferrite layer at the interface. Dissolution of – **4,** 52
– , electronic thermal conductivity of – **1,** 12
– , high-temperature creep and the dislocation structure of – **4,** 159
– , strengthening of cast low-pearlite steels with small additions of – **2,** 193
– with an oxygen impurity at low temperatures. Heat capacity of – **4,** 172
Variation of the magnetic field. On the change of flow stress in nickel in the low temperature range during – **6,** 135
Vibrations, magnetoacoustic, in elastically stressed cubic crystals **5,** 50
Vicalloy alloys, investigation of magnetic and martensitic phase transitions in – **2,** 138

Waves, quantum spin-acoustic, and sound in metals **5,** 1
Wire, stainless steel, after electroplastic drawing. Investigation of the structure and phase composition of – **4,** 108
Wires, amorphous, magnetization distribution in – **6,** 41

X-ray, an, diffraction investigation of radiation defects in superconducting compound V_3Si **5,** 131
– , an, diffraction investigation of the single-phase state of martensite decomposition **6,** 99
– diffraction by deformed crystals. Influence of correlation in position of dislocations on – **1,** 1
– , high-temperature, investigation of the transformation of cementite into austenite **3,** 170

Young's modulus in Ti–V and Ti–Zr alloys. The influence of V and Zr on rolling texture, recrystallization and anisotropy of – **3,** 101

AUTHOR INDEX

Bold figures indicate the issue

Abalakin, N. P. *See* **Kishkin, S. T., Svetlov, I. L., Ovchinskiy, A. S., Abalakin, N. P., Golubovskiy, Ye. R.** and **Gusev, Yu. S.** **1,** 152

Abovyan, E. S. *See* **Adamyan, V. Ye., Karagebakyan, G. G., Melikyan, M. A.** and **Abovyan, E. S.** **6,** 36

Adamesku, R. A. *See* **Mityushov, Ye. A., Adameski, R. A.** and **Yushkov, V. I.** **6,** 32

Adamyan, V. Ye., Karagebakyan, G. G., Melikyan, M. A. and **Abovyan, E. S.** Temperature dependences of magnetic susceptibility, magnetization and electrical resistivity in the system of solid solutions $GdZn_xMg_{1-x}$ **6,** 36

Ageyev, N. V. and **Babareko, A. A.** Features of texture formation during production processing of alloys with phase transitions **1,** 93

Akkuratov, Yu. N. and **Malkhozov, M. F.** Calculation of the temperature dependence of the absorption factor of tungsten in the infrared range **5,** 25

Aksenov, V. L., Goremychkin, Ye. A. and **Fraunheim, T.** Line width of magnetic excitons in cubic compounds of Laves phases $PrAl_2$, $PrNi_2$ **3,** 67

Alekhin, V. P. *See* **Kalinin, Yu. Ye., Sukhodolov, B. G., Zolotukhin, I. V.** and **Alekhin, V. P.** **2,** 29

Alekseyev, V. A. *See* **Zaykova, V. A., Dragoshanskiy, Yu. N., Sokolov B. K., Gubernatorov, V. V., Alekseyev, V. A.** and **Bykovskiy, G. S.** **5,** 91

Alyab'ev, V. M., Antonova, O. V., Lebedeva, L. N., Pavlov, V. A. and **Shalayev, V. I.** High-temperature creep and the dislocation structure of vanadium **4,** 159

Andreyev, V. I., Benditskiy, A. A., Granovskiy, A. B., Rukman, G. I. and **Stepanov, B. M.** Thermo-emf of discontinuous metallic films **2,** 190

Anikeyev, D. I., Zarembo, L. K., Karpachev, S. N., Kumskova, I. K., Chistyakov, O. D. and **Savitskiy, Ye. M.** Acoustic properties of gadolinium single crystals in the magnetic phase transition range **3,** 192

Anisimova, L. I. *See* **Popov, A. A., Anisimova, L. I., Vinitskiy, A. L., Denisov, Yu. P.** and **Lapin, O. G.** **4,** 114

Antonov, L. I., Osipov, S. G. and **Khapayev, M. M.** Calculation of a domain wall with the adjustment method **5,** 74

Antonova, O. V. *See* **Alyab'ev, V. M., Antonova, O. V., Lebedeva, L. N., Pavlov, V. A.** and **Shalayev, V. I.** **4,** 159

Arkharov, V. I. and **Samoylenko, Z. A.** A model of the structural changes during crystallization of amorphous alloys **1,** 127

Arkhipov, V. Ye. *See* **Davydov, S. A., Arkhipov, V. Ye., Voronin, V. I.** and **Goshchitskiy, B. N.** **5,** 86

Arkhipov, V. Ye. *See* **Mirmel'shteyn, A. V., Kar'kin, A. Ye., Arkhipov, V. Ye.** and **Voronin, V. I.** 1, 67
Astrakhantsev, M. S. *See* **Spasskiy, M. N., Gurevich, Ya. B., Vaganov, V. Ye.** and **Astrakhantsev, M. S.** 2, 143

Babareko, A. A. *See* **Ageyev, N. V.** and **Babareko, A. A.** 1, 93
Badalyan, V. G. *See* **Kazantsev, V. F.** and **Badalyan, V. G.** 1, 174
Badinter, Ye. Ya. *See* **Recheshter, N. I., Badinter, Ye. Ya., Yakunin, A. A., Bashev, V. F.** and **Miroshnichenko, I. S.** 6, 160
Bakhteyeva, N. D. and **Levit, V. I.** The influence of temperature and rate of deformation on dynamic recrystallization of single crystals of alloy KhN77TYuR 4, 124
Baksheyev, N. V. *See* **Mushailov, E. S.** and **Baksheyev, N. V.** 2, 39
Baldokhin, Yu. V. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** 4, 108
Barinov, V. A. *See* **Timoshchuk, V. I., Vlasov, K. B., Yermakov, A. Ye.** and **Barinov, V. A.** 2, 49
Barinov, V. A. *See* **Yelsukov, Ye. P., Barinov, V. A., Galakhov, V. R., Yurchikov, Ye. Ye.** and **Yermakov, A. Ye.** 2, 119
Barmina, I. L. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** 4, 89
Barmina, I. L. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Legostayev, Yu. L.** and **Malyshevskiy, V. A.** 2, 99
Bashchenko, A. P., Mettus, A. O., Spasskiy, M. N. and **Orlenko, L. P.** Influence of high dynamic pressures on the structure and mechanical properties of martensitic steels 38KhS and 30KhGSN2A 6, 148
Bashev, V. F. Non-equilibrium crystallization and structural transformations in microwires of alloys Fe–C and Fe–C–Si during heating 2, 114
Bashev, V. F. *See* **Recheshter, N. I., Badinter, Ye. Ya., Yakunin, A. A., Bashev, V. F.** and **Miroshnichenko, I. S.** 6, 160
Baturin, A. A. Lotkov, A. I. and **Shabalovskaya, S. A.** Enthalpy of vacancy formation and the f.c.t.⇄f.c.c. transition in the In–Tl system 5, 187
Baykov, A. P. Motorin, V. I., Musher, S. L. and **Shestak, A. F.** 2, 106
Bel'chenko, G. V. *See* **Khimich, Yu. P., Belozerskiy, G. N., Gittsovich, V. N., Lyubarskiy, S. V., Tomilov, S. B.** and **Bel'chenko, G. V.** 3, 176
Belozerskiy, B. N. *See* **Khimich, Yu. P., Belozerskiy, G. N., Gittsovich, V. N., Lyubarskiy, S.V,, Tomilov, S. B.** and **Bel'chenko, G. V.** 3, 176
Belozerskiy, G. N., Gittsovich, V. N., Sosenushkin, Ye. M., Sokolov, I. G. and **Chekashova, S. A.** Investigation of structural transformations during rupture of $\gamma+\varepsilon$ steel 4, 150
Belozerskiy, G. N., Semenov, V. G. and **Chekashova, S. A.** Mössbauer study of hyperfine interactions in amorphous alloys containing chromium 5, 79
Belyatskaya, I. S., Vintaykin, Ye. Z. and **Mezhennyy, Yu. O.** Concerning thes tructural features of decomposition in Fe–Cr–Co magnet alloys 5, 115
Benditskiy, A. A. *See* **Andreyev, V. I., Benditskiy, A. A., Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** 2, 190
Beresnev, B. I. *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** 2, 154

Beresnev, B. I. *See* **Yeshchenko, R. N., Teplov, V. A., Lyadskaya, G. A.** and **Beresnev, B. I.** 2, 159
Berezina, A. L., Trofimova, L. N. and **Chuistov, K. V.** Investigation of coalescence in alloy Al–2·8% Li 3, 111
Bernshteyn, M. L. *See* **Prokoshkin, S. D., Kaputkina, L. M., Bernshteyn, M. L.** and **Mozzhukhin, V. Ye.** 6, 99
Bogdanov, V. V. *See* **Geguzin, Ya. Ye., Paritskaya, L. N., Bogdanov, V. V.** and **Novikov, V. I.** 4, 131
Bogdanova, S. I. *See* **Nikitina, N. V., Khodorenko, V. N., Korotayev, A. D., Bogdanova, S. I.** and **Chumlyakov, Yu. I.** 6, 141
Bolotin, G. A. *See* **Knyazev, Yu. V., Bolotin, G. A.** and **Potapov, A. P.** 6, 59
Bol'shov, L. A. Allowance for the three-body potential in short-range order theory for binary alloys of low concentrations 4, 7
Bol'shov, L. A. On the distribution of nitrogen atoms at interstitial sites of ferrite at high temperatures 3, 183
Borisov, A. B. Multisoliton solutions of the equations of a non-isotropic magnet 2, 17
Borodina, T. V. *See* **Kornev, Yu. V.** and **Borodina, T. V.** 3, 45
Borozdina, M. A., Karpov, Yu. G., Vereshchagin, Yu. A., Sidorenko, F. A., Pavlov, V. M. and **Gel'd, P. V.** Exchange anisotropy in the polycrystalline alloy $FePd_2Au$ 6, 63
Boyko, L. V. *See* **Shapovalov, V. I.** and **Boyko, L. V.** 6, 168
Bragin, V. G., Shabanova, I. N., Kul'yabina, O. A. and **Trapeznikov, V. A.** Investigation of fracture surfaces in an electron magnetic spectrometer during rupture *in vacuo* and in air 4, 195
Braynin, G. E., Volkov, A. Ye. and **Likhachev, V. A.** The inheritance of twin boundaries as a shape memory mechanism 6, 1
Bregman, T. P. *See* **Noskova, N. I., Pavlov, V. A., Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P.** and **Savitskiy, Ye. M.** 3, 149
Brovkov, V. A. *See* **Sudarev, Ye. F., Rudchenko, V. V.** and **Brovkov, V. A.** 4, 172
Buchel'nikov, V. D. and **Shavrov, V. G.** Magnetoacoustic vibrations in elastically stressed cubic crystals 5, 50
Bukhalenkov, V. V. Change in electronic structure of f.c.c. Fe–Ni alloys during the magnetic phase transition 4, 191
Burova, S. V. *See* **Iyevlev, V. M.** and **Burova, S. V.** 5, 190
Bushnev, L. S. *See* **Korotayev, A. D., Yesipenko, V. F., Chumlyakov, Yu. I., Bushnev, L. S.** and **Veselov, Yu. G.** 1, 133
Bykovskiy, G. S. *See* **Zaykova, V. A., Drogoshanskiy, Yu. N., Sokolov, B. K., Gubernatorov, V. V., Alekseyev, V. A.** and **Bykovskiy, G. S.** 5, 91

Chekin, V. V. *See* **Igrushin, V. V., Kirichenko, V. G., Petel'guzov, I. A.** and **Chekin, V. V.** 6, 92
Chekashova, S. A. *See* **Belozerskiy, G. N., Gittsovich, V. N., Sosenushkin, Ye. M., Sokolov, I. G.** and **Chekashova, S. A.** 4, 150
Chekashova, S. A. *See* **Belozerskiy, G. N., Semenov, V. G.** and **Chekashova, S. A.** 5, 79
Chepurova, Ye. Ye. and **Shtayn, A. V.** Magnetization distribution in amorphous wires 6, 41
Cherepov, S. V. *See* **Kokorin, V. V., Osipenko, I. A., Cherepov, S. V.** and **Chernenko, V. A.** 6, 175

Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A. and **Gel'd, P. V.** Magnetic properties of ordered $Fe_{1-x}Mn_xPd_3$ alloys 6, 82
Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A. and **Sidorenko, F. A.** Atomic ordering in solid solutions 2, 176
Cherkashin, V. S. *See* **Kudryashova, I. Ya.** and **Cherkashin, V. S.** 3, 62
Cherkashin, B. V., Vereshchagin, Yu. A., Sidorenko, F. A. and **Kuranov, A. A.** Magnetic susceptibility of ordering alloys $Fe_{1-x}Mn_xPd_3$ 4, 184
Chernenko, N. L. *See* **Korshunov, L. G., Sagaradze, V. V., Tereshchenko, N. A.** and **Chernenko, N. L.** 2, 123
Chernenko, V. A. *See* **Gun'ko, L. P., Kozlova, L. Ye., Kokorin, V. V., Chernenko, V. A.** and **Shirina, T. V.** 5, 193
Chernenko, V. A. *See* **Kokorin, V. V., Osipenko, I. A., Cherepov, S. V.** and **Chernenko, V. A.** 6, 175
Chervinskiy, V. I. *See* **Novikov, I. I., Sofronova, R. M.** and **Chervinskiy, V. I.** 6 127
Chistyakov, O. D. *See* **Anikeyev, D. I., Zarembo, L. K., Karpachev, S. N., Kumskova, I. K., Chistyakov, O. D.** and **Savitskiy, Ye. M.** 3, 192
Chuistov, K. V. *See* **Berezina, A. L., Trofimova, L. N.** and **Chuistov, K. V.** 3, 111
Chuistov, K. V. *See* **Demin, S. A., Ustinov, A. I.** and **Chuistov, K. V.** 2, 165
Chumlyakov, Yu. I. *See* **Korotayev, A. D., Yesipenko, V. F., Chumlyakov, Yu. I., Bushnev, L. S.** and **Veselov, Yu. G.** 1, 133
Chumlyakov, Yu. I. *See* **Nikitina, N. V., Khorodenko, V. N., Korotayev, A. D., Bogdanova, S. I.** and **Chumlyakov, Yu. I.** 6, 141
Chuyev, V. V., Kelarev, V. V., Pirogov, A. N., Sidorov, S. K. and **Koryakova, V. S.** Crystal structure and magnetic state of pseudobinary intermetallic compounds $Ho(Co_{1-x}Ni_x)_5$ 3, 80

Danil'chenko, V. Ye. *See* **Lysak, L. I., Danil'chenko, V. Ye., Vovk, Ya. N.** and **Okhrimenko, V. A.** 4, 83
Danilyuk, V. I. *See* **Porozkov, V. N., Yesin, V. O.** and **Danilyuk, V. I.** 1, 188
Davydov, S. A., Arkhipov, V. Ye., Voronin, V. I. and **Goshchitskiy, B. N.** Influence of reactor irradiation on the physical properties of compound $SnMo_5S_6$ 5, 86
Dekun, A. M. and **Schastlivtsev, V. M.** Influence of press-forging conditions on the structure formation in titanium alloys 5, 144
Demikhovskiy, V. Ya. and **Savinskiy, S. S.** Electromagnetic excitations in noble metals 3, 11
Demin, N. A. and **Konobeyev, Yu. V.** Theory of the annealing of vacancy voids in thin metallic foils 4, 67
Demin, S. A., Ustinov, A. I. and **Chuistov, K. V.** The structural mechanism of plastic deformation of Mn–Cu alloys in martensitic state 2, 165
Denisov, Yu. P. *See* **Popov, A. A., Anisimova, L. I., Vinitskiy, A. L., Denisov, Yu. P.** and **Lapin, O. G.** 4, 114
Deshkevich, Ye. V., Subovtsev, R. M. and **Zotov, V. S.** Free diffusion of carbon in holmium 1, 168
Desnenko, V. A. On the change of flow stress in nickel in the low temperature range during variation of the magnetic field 6, 135
Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T. and **Beresnev, B. I.** Features of the plastic deformation of silicon iron single crystals under conditions of hydrostatic pressure 2, 154

Dogadushkin, V. Yu. *See* **Georgiyev, M. N., Dogadushkin, V. Yu., Mezhova, N. Ya., Minayev, V. K.** and **Strok, L. P.** 3, 137
Dolgikh, G. V. *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** 2, 154
Domrachev, V. Ye. *See* **Paskal', Yu. I.** and **Dowrachev, V. Ye.** 6, 6
Dorofeyev, Yu. A. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z.** and **Sidorov, S. K.** 6, 86
Dorofeyev, Yu. A., Men'shikov, A. Z. and **Takzey, G. A.** Magnetic phase diagram of Fe_xCr_{1-x} alloys 5, 102
Drachinskiy, A. S. On the diverse causes of grain-boundary failure 3, 164
Drachinskiy, A. S., Podrezov, Yu. N. and **Trefilov, V. I.** Influence of structure elements on the energy of intergranular failure 1, 140
Dagroshanskiy, Yu. N. *See* **Zaykova, V. A., Dragoshanskiy, Yu. N., Sokolov, B. K., Gubernatorov, V. V., Alekseyev, V. A.** and **Bykovskiy, G. S.** 5, 91
Dragoshanskiy, Yu. N. *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Shtin, A. P.** and **Khanzina, T. A.** 6, 75
Dubinin, S. F., Teploukhov, S. G. and **Sidorov, S. K.** Neutron diffraction effects of structure distortion of alloy Ni–67·7 at.% Fe in magnetically ordered state 6, 109
Dubovtsev, R. M. *See* **Deshkevich, Ye. V., Dubovtsev, R. M.** and **Zotov, V. S.** 1, 168
Dudarev, Ye. F., Rudchenko, V. V. and **Brovkov, V. A.** Temperature dependence of resistance to motion of an edge dislocation in Fe–Co solid solutions 4, 172

Enami, K. *See* **Martynov, V. V., Enami, K., Khandros, L. G., Nenno, S.** and **Tkachenko, A. V.** 5, 136
Entin, R. I. *See* **Utevskiy, L. M., Eterashvili, T. V.** and **Entin, R. I.** 4, 178
Eterashvili, T. V. *See* **Utevskiy, L. M., Eterashvili, T. V.** and **Entin, R. I.** 4, 178

Fal'ko, G. L. *See* **Makarets, N. V., Fal'ko, G. L.** and **Fedorchenko, A. M.** 3, 1
Fal'ko, I. I. *See* **Palatnik, L. S.** and **Fal'ko, I. I.** 5, 96
Fedorchenko, A. M. *See* **Makarets, N. V., Fal'ko, G. L.** and **Fedorchenko, A. M.** 3, 1
Fedorov, G. V. *See* **Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** 4, 72
Fedosov, V. N. The susceptibility of an isotropic ferromagnet 4, 29
Filippov, G. A. On the interaction of impurities with grain boundaries in austenite 3, 96
Filippov, G. A. *See* **Sarrak, V. I., Filippov, G. A.** and **Kush, G. G.** 2, 94
Fionova, L. K. *See* **Volkov, A. V.** and **Fionova, L. K.** 2, 185
Flomenblit, Yu. M. *See* **Stepanov, I. A., Flomenblit, Yu. M.** and **Zaymovskiy, V. A.** 3, 180
Frauenheim, T. *See* **Aksenov, V. L., Goremychkin, Ye. A.** and **Frauenheim, T.** 3, 67

Galakhov, V. R. *See* **Yelsukov, Ye. P., Barinov, V. A., Galakhov, V. R., Yurchikov, Ye. Ye.** and **Yermakov, A. Ye.** 2, 119
Gal'perina, B. A. *See* **Vaynshteyn, A. A., Gal'perina, B. A., Strizhak, V. A., Kuznetsov, L. M.** and **Stepanov, S. I.** 1, 177
Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z. and **Sidorov, S. K.** Magnetic phase transitions in ordered $(Fe_{1-x}Mn_x)Pt$ alloys 6, 86
Gavrilyuk, A. V., Karabanowa, V. P., Panaetov, V, P., Popov, V. I. and **Popov, V. N.** The structure of the tips of domains in thin ferromagnetic films 6, 170

Gavrilyuk, A. V., Karabanova, V. P., Popov, V. N., Panayetov, V. P., and **Gavrilyuk, B. V.** Domain tip propagation in thin films with low-coercivity channels **2,** 197
Gavrilyuk, B. V. *See* **Gavrilyuk, A. V., Karabanova, V. P. Popov, V. N., Panayetov, V. P.** and **Gavrilyuk, B. V.** **2,** 197
Gavrilyuk, V. G. and **Nadutov, V. M.** Influence of distribution of carbon atoms on quadrupolar interaction in Fe–Ni–C austenite **3,** 89
Gayduchenya, V. F. and **Vinogradova, V. Ye.** Stress relaxation in maraging steel N18K9M5T at temperatures 113–773 K **1,** 165
Geguzin, Ya. Ye., Paritskaya, L. N., Bogdanov, V. V. and **Novikov, V. I.** On features of the recrystallization of ultrafine powders during sintering **4,** 131
Gekht, R. S. Concerning the absorption line in magnetically anisotropic particles **2,** 12
Gel'd, P. V. *See* **Borozdina, M. A., Karpov, Yu. G., Vereshchagin, Yu. A., Sidorenko, F. A., Pavlov, V. M.** and **Gel'd, P. V.** **6,** 63
Gel'd, P. V. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A.** and **Gel'd, P. V.** **6,** 82
Georgiyev, M. N., Dogadushkin, V. Yu., Mezhova, N. Ya., Minayev, V. K. and **Strok, L. P.** Plastic deformation in fractures of ferrite–pearlite steels **3,** 137
Georgiyeva, I. Ya. and **Matyushenko, L. A.** Investigation of magnetic and martensitic phase transitions in Vicalloy alloys **2,** 138
Gershman, R. L. and **Gol'dshteyn, V. Ya.** The influence of sulphur and nitrogen on features of texture formation during deformation and annealing of Fe+3% Si single crystals **2,** 178
Gertsman,V. Yu *See* **Valiyev, R. Z., Gertsman, V. Yu.** and **Kaybyshev, O. A.** **3,** 121
Ginzburg, V. L. and **Morgun, V. N.** On the nature of the double peak of resistivity during magnetic breakdown in aluminium **3,** 33
Gitsovich, V. N., Kondrat'ev, A. S. and **Uzdin, V. M.** Fermi-liquid theory of localized magnetic moments in transition metals **4,** 19
Gittsovich, V. N. *See* **Belozerskiy, G. N., Gittsovich, V. N., Sosenushkin, Ye. M., Sokolov, I. G.** and **Chekashova, S. A.** **4,** 150
Gittsovich, V. N. *See* **Khimich, Yu. P., Belozerskiy, G. N., Gittsovich, V. N., Lyubarskiy, S. V., Tomilov, S. B.** and **Bel'chenko, G. V.** **3,** 176
Glinskiy, I. A. Magnetostatic surface waves on the boundary of two magnets **3,** 30
Glozman, Ye. A., Mal'tsev, V. K., Reyngardt, A. Ye. and **Tsifrinovich, V. I.** Investigation of the nuclear echo phase in ferromagnetic cobalt **6,** 152
Gokhfel'd, V. M. and **Peschanskiy, V. G.** The magnetoacoustic size effect for shear waves in metals **6,** 20
Gol'dshteyn, V. Ya. *See* **Gershman, R. L.** and **Gol'dshteyn, V. Ya.** **2,** 178
Gol'tsov, V. A., Kirillov, V. A., Gorban', S. V., Karnaukh, O. I., Volynskaya, V. G. and **Tikhonov, N. A.** Influence of annealing temperature on change in the properties of hydrogen-phase hardened palladium in a state of hydride embrittlement **6,** 113
Golubovskiy, Ye. R. *See* **Kishkin, S. T., Svetlov, I. L., Ovchinskiy, A. S., Abalakin, N. P., Golubovskiy, Ye. R.** and **Gusev, Yu. S.** **1,** 152
Golubovskiy, Ye. R. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P., Morozova, S. G., Golubovskiy, Ye. R.** and **Yushakova, F. V.** **4,** 118
Goman'kov, V. I., Nogin, N. I. and **Kozis, Ye. V.** Long- and short-range atomic order in the iron–nickel system **1,** 111

Goncharov, I. N. *See* **Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Petrova, L. V., Reytov, V. F.** and **Romanov, Ye. P.** 6, 45
Gorban', S. V. *See* **Gol'tsov, V. A., Kirillov, V. A., Gorban', S. V., Karnaukh, O. I., Volynskaya, V. G.** and **Tikhonov, N. A.** 6, 113
Gorelenko, Yu. K. *See* **Skolozdra, R. V., Stadnik, Yu. V., Gorelenko, Yu. K., Yarmolyuk, Ya. P.** and **Kruglyashov, S. B.** 3, 52
Goremychkin, Ye. A. *See* **Aksenov, V. I., Goremychkin, Ye. A.** and **Frauenheim, T.** 3, 67
Goritskiy, V. M. and **Khromov, D. P.** Quantitative fractography and the structure of brittle fractures in low-carbon and low-alloyed steels 6, 117
Goshchitskiy, B. N. *See* **Davydov, S. A., Arkhipov, V. Ye., Voronin, V. I.** and **Goshchitskiy, B. N.** 5, 86
Granovskiy, A. B. *See* **Andreyev, V. I., Benditskiy, A. A., Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** 2, 190
Grazhdankina, N. P. and **Medvedeva, I. V.** Influence of high pressure on the magnetic properties of alloys $Mn_{1-x}Cr_xSb$ 1, 83
Gubernatorov, V. V. *See* **Zaykova, V. A., Dragoshanskiy, Yu. N., Sokolov, B. K., Gubernatorov, V. V., Alekseyev, V. A.** and **Bykovskiy, G. S.** 5, 91
Gun'ko, L. P., Kozlova, L. Ye., Kokorin, V. V., Chernenko, V. A. and **Shirina, T. V.** Structure of decomposed Cr–Co and Cr–Ni solid solutions 5, 193
Gun'ko, L. P., Yermakov, V. M., Koval', Yu. N., Kozlova, L. Ye. and **Kokorin V. V.** The influence of the composition of particles contained in the austenite on parameters of the $\gamma \rightleftarrows \alpha$ transformation 4, 104
Gurevich, Ya. B. *See* **Spasskiy, M. N., Gurevich, Ya. B., Vaganov, V. Ye.** and **Astrakhantsev, M. S.** 2, 143
Gusev, Yu. S. *See* **Kishkin, S. T., Svetlov, I. L., Ovchinskiy, A. S., Abalakin, N. P., Golubovskiy, Ye. R.** and **Gusev, Yu. S.** 1, 152
Guseynov, F. S. *See* **Vasil'yeva, R. P., Panakhov, T. M.** and **Guseynov, F. S.** 6, 155
Gusliyenko, K. Yu. *See* **Mitsek, A. I., Gusliyenko, K. Yu.** and **Pavlovskiy, S. V.** 5, 59

Ibragimov, Sh. Sh. *See* **Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Petrova, L. V., Reytov, V. F.** and **Romanov, Ye. P.** 6, 45
Igolkina, L. S. *See* **Trefilov, V. I., Storchak, N. A., Minakov, V. N., Manilov, V. A., Igolkina, L. S.** and **Zubets, Yu. Ye.** 4, 143
Igrushin, V. V., Kirichenko, V. G., Petel'guzov, I. A. and **Chekin, V. V.** The influence of additions of Sn, V, Cr, Mo, Nb, and Ta on the local neighbourhood of Fe impurity atoms in α Zr 6, 92
Il'in, S. I. *See* **Smirnov, M. A., Kareva, N. T.** and **Il'in, S. I.** 2, 172
Iliyev, L. B., Ovcharenko, V. I. and **Pervakov, V. A.** Heat capacity of vanadium with an oxygen impurity at low temperatures 1, 172
Ilyushin, A. S. *See* **Nikanorova, I. A.** and **Ilyushin, A. S.** 6, 163
Iyevlev, V. M. and **Burova, S. V.** Concerning the existence of a periodic superstructure of twist boundaries in thin-film bicrystals of silver 5, 190
Izotov, V. I. and **Kozlov, A. P.** The structure of sites of localized flow during strong deformation of Fe–Ni alloys in martensitic state 6, 157
Izotov, V. I., Omel'chenko, A. V., Pankratova, L. S. and **Soshnikov, V. I.** The influence of high pressure on the formation kinetics of lath (packet) martensite 4, 76

Izyumov, Yu. A. and **Petrov, S. B.** Group-theoretical analysis of the spin waves of complex crystals **1,** 18

Kalinin, Yu. Ye., Sukhodolov, B. G., Zolotukhin, I. V. and **Alekhin, V. P.** Magnetoelastic decay and the ΔE-effect in an amorphous Fe–Ni alloy **2,** 29

Kalugin, V. D. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** **4,** 108

Kamenetskaya, D. S. *See* **Koshkarov, L. L., Moysh, Yu. V., Medvedev, M. P., Sidokhin, Ye. F.** and **Kamenetskaya, D. S.** **5,** 127

Kamenetskaya, D. S., Maksimova, O. P. and **Shiryayev, V. I.** Features of the martensitic transformation in high-purity iron–nickel alloys **5,** 121

Kandaurova, G. S. and **Karimov, M. F.** Formation of internal magnetic domains during remagnetization of amorphous Gd–Co films **2,** 34

Kaputkina, L. M. *See* **Prokoshkin, S. D., Kaputkina, L. M., Bernshteyn, M. L.** and **Mozzhukhin, V. Ye.** **6,** 99

Karabanova, V. P. *See* **Gavrilyuk, A. V., Karabanova, V. P., Panaetov, V. P., Popov, V. I.** and **Popov, V. N.** **6,** 170

Karabanova, V. P. *See* **Gavrilyuk, A. V., Karabanova, V. P., Popov, V. N., Panayetov, V. P.** and **Gavrilyuk, B. V.** **2,** 197

Karagebakyan, G. G. *See* **Adamyan, V. Ye., Karagebakyan, G. G., Melikyan, M. A.** and **Abovyan, E. S.** **6,** 36

Kareva, N. T. *See* **Koryagin, Yu. D., Kareva, N. T.** and **Smirnov, M. A.** **4,** 187

Kareva, N. T. *See* **Pushin, V. G., Smirnov, M. A., Kareva, N. T., Romanova, R. R., Smirnov, L. V.** and **Rodionov, D. P.** **5,** 169

Kareva, N. T. *See* **Smirnov, M. A., Kareva, N. T.** and **Il'in, S. I.** **2,** 172

Karimov, M. F. *See* **Kandaurova, G. S.** and **Karimov, M. F.** **2,** 34

Kar'kin, A. Ye. *See* **Mirmel'shteyn, A. V., Kar'kin, A. Ye., Arkhipov, V. Ye.** and **Voronin, V. I.** **1,** 67

Karnaukh, O. I., Gol'tsov, V. A., Kirillov, V. A., Gorban', S. V., Karnaukh, O. I., Volynskaya, V. G. and **Tikhonov, N. A.** **6,** 113

Karpachev, S. N. *See* **Anikeyev, D. I., Zarembo, L. K., Karpachev, S. N., Kumskova, I. K., Chistyakov, O. D.** and **Savitskiy, Ye. M.** **3,** 192

Karpov, V. Yu. *See* **Shapovalov, V. I.** and **Karpov, V. Yu.** **4,** 165

Karpov, Yu. G. *See* **Borozdina, M. A., Karpov, Yu. G., Vereshchagin, Yu. A., Sidorenko, F. A., Pavlov, V. M.** and **Gel'd, P. V.** **6,** 63

Karzunov, S. Ye. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** **4,** 89

Kaybyshev, O. A. *See* **Valiyev, R. Z., Gertsman, V. Yu.** and **Kaybyshev, O. A.** **3,** 121

Kazantsev, V. F. and **Badalyan, V. G.** Investigations of the ultrasonic effect on the transient creep process **1,** 174

Kechin, V. V. *See* **Konyukhov, V. N.** and **Kechin, V. V.** **1,** 183

Kekalo, I. B., Stolyarov, V. L., Taranichev, V. Ye. and **Tsvetkov, V. Yu.** The formation of magnetic properties in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$ during thermomagnetic treatment as a function of the initial state **3,** 56

Kekalo, I. B., Stolyarov, V. L. and **Tsvetkov, V. Yu.** Formation mechanism of magnetic properties in amorphous alloys $B_5Co_{70}Si_{15}B_{10}$ during annealing **2,** 22

Kekalo, I. B., Stolyarov, V. L. and **Tsvetkov, V. Yu.** Relaxation processes and temperature-time stability of initial permeability in amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$ **6,** 67
Kelarev, V. V. *See* **Chuyev, V. V., Kelarev, V. V., Pirogov, A. N., Sidorov, S. K.** and **Koryakova, V. S.** **2,** 80
Khadyyev, M. S. *See* **Smirnov, M. A., Litvinov, V. S.** and **Khadyyev, M. S.** **5,** 183
Khandros, L. G. *See* **Martynov, V. V., Enami, K., Khandros, L. G., Nenno, S.** and **Tkachenko, A. V.** **5,** 136
Khanzhina, T. A. *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Shtin, A. P.** and **Khanzhina, T. A.** **6,** 75
Khapayev, M. M. *See* **Antonov, L. I., Osipov, S. G.** and **Khapayev, M. M.** **5,** 74
Khimich, Yu. P., Belozerskiy, G. N., Gittsovich, V. N., Lyubarskiy, S. V., Tomilov, S. B. and **Bel'chenko, G. V.** Mössbauer investigation of commercial beryllium **3,** 176
Khodenkov, G. Ye. Charged domain walls of bubbles **2,** 182
Khodorenko, V. N. *See* **Nikitina, N. V., Khodorenko, V. N., Korotayev, A. D., Bogdanova, S. I.** and **Chumlyakov, Yu. I.** **6,** 141
Khon, Yu. A. Parametrized functionals of local electron density for transition metals **4,** 13
Khromov, D. P. *See* **Goritskiy, V. M.** and **Khromov, D. P.** **6,** 117
Khrushchov, M. M. Short-range lamination in Ti–Zr, Ti–Hf, Zr–Hf alloys and lattice instability **1,** 124
Khrushchov, M. M. and **Ruda, G. I.** Complex ordering in solid solutions with $\omega(0)$ phase structure **5,** 149
Kirichenko, V. G. *See* **Igrushin, V. V., Kirichenko, V. G., Petel'guzov, I. A.** and **Chekin, V. V.** **6,** 92
Kirillov, V. A. *See* **Gol'tsov, V. A., Kirillov, V. A., Gorban', S. V., Karnaukh, O. I., Volynskaya, V. G.** and **Tikhonov, N. A.** **6,** 113
Kir'yanchev, N. Ye. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** **4,** 108
Kishkin, S. T., Svetlov, I. L., Ovchinskiy, A. S., Abalakin, N. P., Golubovskiy, Ye. R. and **Gusev, Yu. S.** Modelling creep and rupture of directional eutectic γ/γ'–MeC **1,** 152
Kishkin, S. T., Svetlov, I. L., Sorokina, L. P., Morozova, S. G., Golubovskiy, Ye. R. and **Yushakova, F. V.** Influence of heat treatment on the structure and long-time strength of nickel eutectic γ/γ'–MeC. The length memory effect **4,** 118
Klekovkin, A. A. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** **4,** 108
Kleshchev, G. V. *See* **Kruglov, V. F., Verkhovskiy, S. V.** and **Kleshchev, G. V.** **3,** 186
Klevtsur, S. A. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** **4,** 108
Klotsman, S. M. Relation between the parameters of self-diffusion and equilibrium defects and the properties of one-atom crystals **2,** 82
Knyazev, Yu. V., Bolotin, G. A. and **Potapov, A. P.** Optical properties of ferromagnetic alloy $Fe_{81}Si_{12}B_7$ in amorphous and crystalline states **6,** 59
Kokorin, V. V. *See* **Gun'ko, L. P., Kozlova, L. Ye., Kokorin, V. V., Chernenko, V. A.** and **Shirina, T. V.** **5,** 193
Kokorin, V. V. *See* **Gun'ko, L. P., Yermakov, V. M., Koval', Yu. N., Kozlova, L. Ye.** and **Kokorin, V. V.** **4,** 104
Kokorin, V. V., Osipenko, I. A., Cherepov, S. V. and **Chernenko, V. A.** The influence of high pressure and a magnetic field on magnetic ordering in a Cr–Fe alloy **6,** 175

Kolmakova, N. P. *See* **Sirota, D. I., Kolmakova, N. P.** and **Vasilevskaya, L. V.** 3, 173
Kondrat'ev, A. S. *See* **Gitsovich, V. N., Kondrat'ev, A. S.** and **Uzdin, V. M.** 4, 19
Konobeyev, Yu. V. *See* **Demin, N. A.** and **Konobeyev, Yu. V.** 4, 67
Konyukhov, V. N. and **Kechin, V. V.** Nuclear magnetic resonance in ferromagnetic iron at pressures up to 8 GPa 1, 183
Kornev, Yu. V. and **Borodina, T. V.** Dependence of the magnetoresistance effect on the dispersion properties of Permalloy films with allowance for angular dispersion of anisotropy in space 3, 45
Korotayev, A. D. *See* **Nikitina, N. V., Khodorenko, V. N., Korotayev, A. D., Bogdanova, S. I.** and **Chumlyakov, Yu. I.** 6, 141
Korotayev, A. D., Yesipenko, V. F., Chumlyakov, Yu. I., Bushnev, L. S. and **Veselov, Yu. G.** Mechanical twinning and superplasticity effects in monocrystalline Cu–Al–Co alloys containing random particles 1, 133
Korshunov, L. G., Sagaradze, V. V., Tereshchenko, N. A. and **Chernenko, N. L.** Influence of ε martensite on friction and wear of high-manganese alloys 2, 123
Koryagin, Yu. D., Kareva, N. T. and **Smirnov, M. A.** The influence of plastic deformation on the properties of chromium bronze 4, 187
Koryakova, V. S. *See* **Chuyev, V. V., Kelarev, V. V., Pirogov, A. N., Sidorov, S. K.** and **Koryakova, V. S.** 3, 80
Koshkarov, L. L., Moysh, Yu. V., Medvedev, M. P., Sidokhin, Ye. F. and **Kamenetskaya, D. S.** The role of defects in purification of an Fe–Cr alloy from uranium trace impurities 5, 127
Kossakovskaya, Z. Ya. *See* **Ukhlinov, G. A.** and **Kossakovskaya, Z. Ya.** 1, 50
Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye. and **Trakhtenberg, I. Sh.** Establishing a relation between the diffusion parameters and microscopic characteristics of point defects by computer simulation 3, 26
Kosulin, N. S. *See* **Shushakov, V. D., Seleznev, A. G. Kosulin, N. S.** and **Shushakova, T. V.** 2, 188
Kourov, N. I., Tsiovkin, Yu. N. and **Volkenshteyn, N. V.** Electrical resistivity of $Pt_3Mn_xFe_{1-x}$ alloys with interacting magnetic order parameters 5, 109
Koval', Yu. N. *See* **Gun'ko, L. P., Yermakov, V. M., Koval', Yu. N., Kozlova, L. Ye.** and **Kokorin, V. V.** 4, 104
Kozhanov, V. A. *See* **Portnoy, V. K.** and **Kozhanov, V. A.** 3, 158
Kozis, Ye. V. *See* **Goman'kov, V. I., Nogin, N. I.** and **Kozis, Ye. V.** 1, 111
Kozlov, A. P. *See* **Izotov, V. I.** and **Kozlov, A. P.** 6, 157
Kozlov, Yu. I. and **Rakitina, Z. A.** Influence of titatnium on the magnetic properties and structure of iron–chromium–cobalt alloys 6, 172
Kozlova, L. Ye. *See* **Gun'ko, L. P., Kozlova, L. Ye., Kokorin, V. V., Chernenko, V. A.** and **Shirina, T. V.** 5, 193
Kozlova, L. Ye. *See* **Gun'ko, L. P., Yermakov, V. M. Koval', Yu. N., Kozlova, L. Ye.** and **Kokorin, V. V.** 4, 104
Krivoglaz, M. A., Martynenko, O. V. and **Ryaboshapka, K. P.** Influence of correlation in position of dislocations on X-ray diffractions by deformed crystals 1, 1
Krivoglaz, M. A. *See* **Vul', D. A.** and **Krivoglaz, M. A.** 5, 29
Kruglov, V. F., Verkhovskiy, S. V. and **Kleshchev, G. V.** High-temperature investigations of nuclear magnetic resonance in dilute aluminium–zinc alloys 3, 186
Kruglyashov, S. B. *See* **Skolozdra, R. V., Statnik, Yu. V., Gorelenko, Yu. K., Yermolyuk, Ya. P.** and **Kruglyashov, S. B.** 3, 52

Kshnyakin, V. S. *See* **Zakharchenko, I. G., Nemoshkalenko, V. V.** and **Kshnyakin, V. S.** 3, 101
Kudryashova, I. Ya. and **Cherkashin, V. S.** Peculiarities of the Hall effect in two-layer films of iron and cobalt 3, 62
Kuleyev, I. G. Longitudinal resistivity of dilute alloys with localized magnetic moments in a quantizing field 2, 1
Kulish, Ya. M., Lyubchenko, A. P. and **Sherman, D. G.** Relaxation pf internal stresses during annealing of a surface-deformed steel 1, 191
Kul'yabina, O. A. *See* **Bragin, V. G., Shabanova, I. N., Kul'yabina, O. A.** and **Trapeznikov, V. A.** 4, 198
Kumskova, I. K. *See* **Anikeyev, D. I., Zarembo, L. K., Karpachev, S. N., Kumskova, I. K., Chistyakov, O. D.** and **Savitskiy, Ye. M.** 3, 192
Kuranov, A. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A.** and **Gel'd, P. V.** 6, 82
Kuranov, A. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A.** and **Sidorenko, F. A.** 2, 176
Kuranov, A. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Sidorenko, F. A.** and **Kuranov, A. A.** 4, 184
Kush, G. G. *See* **Sarrak, V. I., Filippov, G. A.** and **Kush, G. G.** 2, 94
Kuz'min, Ye. V. *See* **Ponomarev, V. I.** and **Kuz'min, Ye. V.** 1, 54
Kuznetsov, L. M. *See* **Vaynshteyn, A. A., Gal'perina, B. A., Strizhak, V. A., Kuznetsov, L. M.** and **Stepanov, S. I.** 1, 177

Lapin, O. G. *See* **Popov, A. A., Anisimova, L. I., Vinitskiy, A. L., Denisov, Yu. P.** and **Lapin, O. G.** 4, 114
Lavrent'ev, A. G. *See* **Litvinenko, A. A., Lavrent'ev, A. G.** and **Ponomarev, Yu. F.** 1, 89
Lebedeva, L. N. *See* **Alyab'ev, V. M., Antonova, O. V., Lebedeva, L. N., Pavlov, V. A.** and **Shalayev, V. I.** 4, 159
Legostayev, Yu. L. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** 4, 89
Legostayev, Yu. L. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Legostayev, Yu. L.** and **Malyshevskiy, V. A.** 2, 99
Levit, V. I. *See* **Bakhteyeva, N. D.** and **Levit, V. I.** 4, 124
Levit, V. I., Plishkin, Yu. M. and **Podchinenov, I. Ye.** The peak of point defect annealing and the corresponding activation energy 3, 5
Likhachev, V. A. *See* **Braynin, G. E., Volkov, A. Ye.** and **Likhachev, V. A.** 6, 1
Likhachev, V. A. and **Masterova, M. V.** High-temperature shape memory in titanium nickelide 4, 175
Likhachev, V. A. *See* **Yermolayev, V. A.** and **Likhachev, V. A.** 4, 59
Litvinenko, A. A., Lavrent'ev, A. G. and **Ponomarev, Yu. F.** Experimental investigation of fluctuations of the parameters of the large Barkhausen discontinuity during cyclical remagnetization 1, 89
Litvinov, V. S. *See* **Smirnov, M. A., Litvinov V. S.** and **Khadyyev M. S.** 5 183
Lotkov A. I. *See* **Baturin A. A. Lotkov A. I.** and **Shabalovskaya, S. A.** 5, 187
Lukanin, A. I. and **Medvedev, M. V.** Impurity atoms with "easy plane" anisotropy in a ferromagnet with "easy axis" anisotropy, and ferromagnetic resonance 3, 19
Lyadskaya, G. A. *See* **Yeshchenko, R. N., Teplov, V. A., Lyadskaya, G. A.** and **Beresnev, B. I.** 2, 159

Lysak, L. I., Danil'chenko, V. Ye., Vovk, Ya. N. and **Okhrimenko, V. A.** Changes in the structure of martensite in high-nickel steel during low-temperature heating **4,** 83
Lyubarskiy, S. V. *See* **Khimich, Yu. P., Belozerskiy, G. N., Gittsovich, V. N., Lyubarskiy, S. V., Tomilov, S. B.** and **Bel'chenko, G. V.** **3,** 176
Lyubchenko, A. P. *See* **Kulish, Ya. M., Lyubchenko, A. P.** and **Sherman, D. G.** **1,** 191

Magat, L. M. *See* **Teytel', Ye. I., Popov, A. G., Maykov, V. G., Magat, L. M., Shchegoleva, N. N.** and **Shur, Ya. S.** **2,** 130
Makarets, N. V., Fal'ko, G. L. and **Fedorchenko, A. M.** Limiting doses of ion implantation in metals **3,** 1
Maksimova, O. P. *See* **Kamenetskaya, D. S., Maksimova, O. P.** and **Shiryayev, V. I.** **5,** 121
Maliyenko, Ye. I. and **Nazarov, A. V.** Elastic pair interaction potential of coherent particles in an anisotropic matrix **5,** 41
Maliyenko, Ye. I. and **Tyapkin, Yu. D.** Conditions of formation of modulated (quasi-periodic) structures **1,** 28
Malkhozov, M. F. *See* **Akkuratov, Yu. N.** and **Malkhozov, M. F.** **5,** 25
Mal'tsev, V. K. *See* **Glozman, Ye. A., Mal'tsev, V. K., Reyngardt, A. Ye.** and **Tsifrinovich, V. I.** **6,** 152
Mal'tsev, V. A. *See* **Zakharchenko, I. V., Mal'tsev, V. A., Sotnikov, G. V.** and **Sokolov, N. A.** **5,** 131
Malygin, G. A., Vladimirova, G. V. and **Privalova, N. N.** The influence of impurity atmospheres on the effective activation energy for creep in doped aluminium in the temperature range $(0{\cdot}2–0{\cdot}5)T_m$ **5,** 158
Malyshevskiy, V. A. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Legostayev, Yu. L.** and **Malyshevskiy, V. A.** **2,** 99
Manilov, V. A. *See* **Trefilov, V. I., Storchak, N. A., Minakov, V. N., Manilov, V. A., Igolkina, L. S.** and **Zubets, Yu. Ye.** **4,** 143
Marchenko, S. N. On the mechanism of thermomagnetic recording on MnBi films **2,** 45
Martynenko, O. V. *See* **Krivoglaz, M. A., Martynenko, O. V.** and **Ryaboshapka, K. P.** **1,** 1
Martynov, V. V., Enami, K., Khandros, L. G., Nenno, S. and **Tkachenko, A. V.** Structure of martensitic phases formed in alloy 63·1 at.% Ni–Al in tension **5,** 136
Masharov, S. I. *See* **Volkov, V. A., Masharov, S. I.** and **Rybalko, A. F.** **4,** 181
Masterova, M. V. *See* **Likhachev, V. A.** and **Masterova, M. V.** **4,** 175
Matveyev, V. A., Fedorov, G. V. and **Volkenshteyn, N. V.** Features of the electrical resistivity of magnetically ordered Pd alloys **4,** 72
Matyushenko, L. A. *See* **Georgiyeva, I. Ya.** and **Matyushenko, L. A.** **2,** 138
Maykov, V. G. *See* **Ponomareva, O. I., Shur, Ya. S., Maykov, V. G.** and **Popov, A. G.** **6,** 54
Maykov, V. G. *See* **Teytel', Ye. I., Popov, A. G., Maykov, V. G., Magat, L. M., Shchegoleva, N. N.** and **Shur, Ya. S.** **2,** 130
Medvedev, M. V. Spin waves in an ageing ferromagnetic alloy with isostructural precipitates of particles of a new phase **4,** 1
Medvedev, M. P. *See* **Koshkarov, L. L., Moysh, Yu. V., Medvedev, M. P., Sidokhin, Ye. F.** and **Kamenetskaya, D. S.** **5,** 127
Medvedev, M. V. *See* **Lukanin, A. I.** and **Medvedev, M. V.** **3,** 19
Medvedeva, I. V. *See* **Grazhdankina, N. P.** and **Medvedeva, I. V.** **2,** 83
Melikyan, M. A. *See* **Adamyan, V. Ye., Karagebakyan, G. G., Melikyan, M. A.** and **Abovyan, E. S.** **6,** 36

Mel'nichenko, A. S. The velocity of a dislocation of finite length **2,** 170
Men'shikov, A. Z. *See* **Dorofeyev, Yu. A., Men'shikov, A. Z.** and **Takzey, G. A.** **5,** 102
Men'shikov, A. Z. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z.** and **Sidorov, S. K.** **6,** 86
Mettus, A. O. *See* **Bashchenko, A. P., Mettus, A. O., Spasskiy, M. N.** and **Orlenko, L. P.** **6,** 148
Mezhennyy, Yu. O. *See* **Belyatskaya, I. S., Vintaykin, Ye. Z.** and **Mezhennyy, Yu. O.** **5,** 115
Mezhova, N. Ya. *See* **Georgiyev, M. N., Dogadushkin, V. Yu., Mezhova, N. Ya., Minayev, V. K.** and **Strok, L. P.** **3,** 137
Mikhalev, M. S., Murav'yev, Ye. A. and **Munarova, T. B.** Strengthening of cast low-pearlite steels with small additions of vanadium **2,** 193
Milyukov, Yu. A. and **Tolkachev, O. M.** A contribution to the theory of magnon relaxation in a two-component electron fluid in ferromagnets **6,** 12
Minakov, V. N. *See* **Trefilov, V. I., Storchak, N. A., Minakov, V. N., Manilov, V. A., Igolkina, L. S.** and **Zubets, Yu. Ye.** **4,** 143
Minayev, V. K. *See* **Georgiyev, M. N., Dogadushkin, V. Yu., Mezhova, N. Ya., Minayev, V. K.** and **Strok, L. P.** **3,** 137
Mirmel'shteyn, A. V., Kar'kin, A. Ye., Arkhipov, V. Ye. and **Voronin, V. I.** Thermal capacity of compound Mo_3Si: superconductivity and phonon spectrum softening **1,** 67
Miroshnichenko, I. S. *See* **Recheshter, N. I., Badinter, Ye. Ya., Yakunin, A. A., Bashev, V. F.** and **Miroshnichenko, I. S.** **6,** 160
Mirzayev, D. A. A thermodynamic condition for the formation of athermal martensite **6,** 179
Mirzayev, D. A. On the thermodynamics of the martensitic transformation in high-nickel iron alloys. The thermal effect **4,** 136
Mirzayev, D. A. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** **4,** 89
Mitsek, A. I., Gusliyenko, K. Yu. and **Pavlovskiy, S. V.** One-electron and many-electron properties of the $4f$ electron system in rare-earth compounds in the weak exchange limit **5,** 59
Mityushov, Ye. A., Adamesku, R. A. and **Yushkov, V. I.** The elastic properties of metals with cubic symmetry and axial texture **6,** 32
Molotskiy, M. I. The generation of holes during dissociation of dislocations and the mechanoluminescence of metals **1,** 35
Morgun, V. N. *See* **Ginzburg, V. L.** and **Morgun, V. N.** **3,** 33
Morozov, O. P. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** **4,** 89
Morozova, S. G. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P., Morozova, S. G., Golubovskiy, Ye. R.** and **Yushakova, F. V.** **4,** 118
Motorin, V. I. *See* **Baykov, A. P., Motorin, V. I., Musher, S. L.** and **Shestak, A. F.** **2,** 106
Moysh, Yu. V. *See* **Koshkarov, L. L., Moysh, Yu. V., Medvedev, M. P., Sidokhin, Ye. F.** and **Kamenetskaya, D. S.** **5,** 127
Mozzhukhin, V. Ye. *See* **Prokoshkin, S. D., Kaputkina, L. M., Bernshteyn, M. L.** and **Mozzhukhin, V. Ye.** **6,** 99
Munarova, T. B. *See* **Mikhalev, M. S., Murav'yev, Ye. A.** and **Munarova, T. B.** **2,** 193
Murav'yev, Ye. A. *See* **Mikhalev, M. S., Murav'yev, Ye. A.** and **Muranova, T. B.** **2,** 193
Mushailov, E. S. and **Baksheyev, N. V.** The spin echo from impurity nuclei ^{59}Co, ^{63}Cu in monocrystalline iron films under conditions of coincident nuclear magnetic and ferromagnetic resonance frequencies **2,** 39

Musher, S. L. *See* **Baykov, A. P., Motorin, V. I., Musher, S. L.** and **Shestak, A. F.** 2, 106
Myalikgulyyev, G. M. *See* **Vasil'eva, R. P., Myalikgulyyev, G. M.** and **Stadnik, S. I.** 1, 57

Nadutov, V. M. *See* **Gavrilyuk, V. G.** and **Nadutov, V. M.** 3, 89
Nazarov, A. V. *See* **Maliyenko, Ye. I.** and **Nazarov, A. V.** 5, 41
Nemoshkalenko, V. V. *See* **Zakharchenko, I. G., Nemoshkalenko, V. V.** and **Kshnyakin, V. S.** 3, 101
Nenno, S. *See* **Martynov, V. V., Enami, K., Khandros, L. G., Nenno, S.** and **Tkachenko, A. V.** 5, 136
Nikanorova, I. A. and **Ilyushin, A. S.** Anomalies of heat expansion in solid solutions of iron in α manganese 6, 163
Nikitina, N. V., Khodorenko, V. N., Korotayev, A. D., Bogdanova, S. I. and **Chumlyakov, Yu. I.** Influence of the cohesive strength of grain boundaries in deformation and structural characteristics of failure in dispersion-hardened copper alloys 6, 141
Nogin, N. I. *See* **Goman'kov, V. I., Nogin, N. I.** and **Kozis, Ye. V.** 1, 111
Noskova, N. I., Pavlov, V. A. Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P. and **Savitskiy, Ye. M.** Failure during friction and the dislocation structure of solid solutions of the gold–platinum system 3, 149
Novikov, I. I., Sofronova, R. M. and **Chervinskiy, V. I.** An electron microscopic investigation of α planar faults caused by boron in refractory b.c.c. metals 6, 127
Novikov, V. I. *See* **Geguzin, Ya. Ye., Paritskaya, L. N., Bogdanov, V. V.** and **Novikov, V. I.** 4, 131

Okhrimenko, V. A. *See* **Lysak, L. I., Danil'chenko, V. Ye., Vovk, Ya. N.** and **Okhrimenko, V. A.** 4, 83
Okulov, V. I. and **Silin, V. P.** Quantum spin-acoustic waves and sound in metals 5, 1
Omel'chenko, A. V. *See* **Izotov, V. I., Omel'chenko, A. V., Pankratova, L. S.** and **Soshnikov, V. I.** 4, 76
Orlenko, L. P. *See* **Bashchenko, A. P., Mettus, A. O., Spasskiy, M. N.** and **Orlenko, L. P.** 6, 148
Orlov, A. N. *See* **Samsonidze, G. G., Orlov, A. N.** and **Trushin, Yu. V.** 4, 43
Osipenko, I. A. *See* **Kokorin, V. V, Osipenko, I. A., Cherepov, S. V.** and **Chernenko, V. A.** 6, 175
Osipov, S. G. *See* **Antonov, L. I., Osipov, S. G.** and **Khapayev, M. M.** 5, 74
Ovcharenko, V. I. *See* **Iliyev, L. B., Ovcharenko, V. I.** and **Pervakov, V. A.** 1, 172
Ovchinskiy, A. S. *See* **Kishkin, S. T., Svetlov, I. L., Ovchinskiy, A. S., Abalakin, N. P., Golubovskiy, Ye. R.** and **Gusev, Yu. S.** 1, 152

Palatnik, L. S. and **Fal'ko, I. I.** Concerning some features of Heusler alloys 5, 96
Panaetov, V. P. *See* **Gavrilyuk, A. V., Karabanova, V. P., Panaetov, V. P., Popov, V. I.** and **Popov, V. N.** 6, 170
Panakhov, T. M. *See* **Vasil'yeva, R. P., Panakhov, T. M.** and **Guseynov, F. S.** 6, 155
Panayetov, V. P. *See* **Gavrilyuk, A. V., Karabanova, V. P., Popov, V. N., Panayetov, V. P.** and **Gavrilyuk, B. V.** 2, 197
Pankova, M. N., Solov'ev, V. A. and **Zaychenko, S. G.** Analysis of features of concentrated deformation in heterophase crystalline materials 3, 142
Pankratova, L. S. *See* **Izotov, V. I., Omel'chenko, A. V., Pankratova, L. S.** and **Soshnikov, V. I.** 4, 76

Paritskaya, L. N. *See* **Geguzin, Ya. Ye., Paritskaya, L. N., Bogdanov, V. V.** and **Novikov, V. I.** 4, 131
Paskal', Yu. I. and **Domrachev, V. Ye.** Statistical modelling of isomorphic decomposition 6, 6
Paskal', Yu. I. *See* **Prib. V. E.** and **Paskal', Yu. I.** 1, 179
Pavlov, V. A. *See* **Alyab'ev, V. M., Antonova, O. V., Lebedeva, L. N., Pavlov, V. A.** and **Shalayev, V. I.** 4, 159
Pavlov, V. A. *See* **Noskova, N. I., Pavlov, V. A., Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P.** and **Savitskiy, Ye. M.** 3, 149
Pavlov, V. M. *See* **Borozdina, M. A., Karpov, Yu. G., Vereshchagin, Yu. A., Sidorenko, F. A., Pavlov, V. M.** and **Gel'd, P. V.** 6, 63
Pavlovskiy, S. V. *See* **Mitsek, A. I., Gusliyenko, K. Yu.** and **Pavlovskiy, S. V.** 5, 59
Pegushina, G. A. and **Teplov, V. A.** The structure and properties of chromium-manganese austenitic steels strengthened by hydroextrusion 3, 106
Perkas, M. D. *See* **Zaytseva, R. D., Zakharova, N. A., Perkas, M. D., Rusanenko, V. V.** and **Shaposhnikov, N. G.** 1, 117
Pervakov, V. A. *See* **Iliyev, L. B., Ovcharenko, V. I.** and **Pervakov, V. A.** 1, 172
Peschanskiy, V. G. *See* **Gokhfeld, V. M.** and **Peschanskiy, V. G.** 6, 20
Petel'guzov, I. A. *See* **Igrushin, V. V., Kirichenko, V. G., Petel'guzov, I. A.** and **Chekin, V. V.** 6, 92
Petrov, S. B. *See* **Izyumov, Yu. A.** and **Petrov, S. B.** 1, 18
Petrova, L. V. *See* **Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Petrova, L. V., Reytov, V. F.** and **Romanov, Ye. P.** 6, 45
Pirogov, A. N. *See* **Chuyev, V. V., Kelarev, V. V., Pirogov, A. N., Sidorov, S. K.** and **Koryakova, V. S.** 3, 80
Plishkin, Yu. M. *See* **Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye.** and **Trakhtenberg, I. Sh.** 3, 26
Plishkin, Yu. M. *See* **Levit, V. I., Plishkin, Yu. M.** and **Podchinenov, I. Ye.** 3, 5
Podchinenov, I. Ye. *See* **Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye.** and **Trakhtenberg, I. Sh.** 3, 26
Podchinenov, I. Ye. *See* **Levit, V. I., Plishkin, Yu. M.** and **Podchinenov, I. Ye.** 3, 5
Podrezov, Yu. N. *See* **Drachinskiy, A. S., Podrezov, Yu. N.** and **Trefilov, V. I.** 1, 140
Polyakova, V. P. *See* **Noskova, N. I., Pavlov, V. A., Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P.** and **Savitskiy, Ye. M.** 3, 149
Ponomarev, V. I. and **Kuz'min, Ye. V.** Cluster model of the ferromagnetic spin–glass phase transition 1, 54
Ponomarev, Yu. F. *See* **Litvinenko, A. A., Lavrent'ev, A. G.** and **Ponomarev, Yu. F.** 1, 89
Ponomareva, O. I., Shur, Ya. S., Maykov, V. G. and **Popov, A. G.** Temperature coefficients of induction and the magnetic properties of $Sm_x(R, Gd)_{1-x}Co_5$ alloys (R–Tb, Dy, Ho, Tm) 6, 54
Popov, A. A., Anisimova, L. I., Vinitskiy, A. L., Denisov, Yu. P. and **Lapin, O. G.** An investigation of the redistribution of the alloying elements during diffusion annealing of titanium alloys 4, 114
Popov, A. G. *See* **Ponomareva, O. I., Shur, Ya. S., Maykov, V. G.** and **Popov, A. G.** 6, 54
Popov, A. G. *See* **Teytel', Ye. I., Popov, A. G., Maykov, V. G., Magat, L. M., Shchegoleva, N. N.** and **Shur, Ya. S.** 2, 130

Popov, V. I. *See* **Gavrilyuk, A. V., Karabanova, V. P., Panaetov, V. P., Popov, V. I.** and **Popov, V. N.** **6,** 170
Popov, V. N. *See* **Gavrilyuk, A. V., Karabanova, V. P., Panaetov, V. P., Popov, V. I.** and **Popov, V. N.** **6,** 170
Popov, V. N. *See* **Gavrilyuk, A. V., Karabanova, V. P., Popov, V. N., Panayetov, V. P.** and **Gavrilyuk, B. V.** **2,** 197
Popov, V. V. and **Yemel'yanov, D. A.** Dissolution of vanadium carbide in steel in the case of formation of a ferrite layer at the interface **4,** 52
Porozkov, V. N., Yesin, V. O. and **Danilyuk, V. I.** Growth shapes of f.c.c. crystals **1,** 188
Portnoy, V. K. and **Kozhanov, V. A.** Topographical features of superplastic deformation of a two-phase brass **3,** 158
Potapov, A. P. *See* **Knyazev, Yu. V., Bolotin, G. A.** and **Potapov, A. P.** **6,** 59
Potseluyko, A. A. *See* **Vasil'ev, B. V., Potseluyko, A. A.** and **Pyn'ko, V. G.** **5,** 179
Potseluyko, A. A. *See* **Vasil'ev, B. V., Potseluyko, A. A.** and **Pyn'ko, V. G.** **6,** 166
Prib, V. E. and **Paskal', Yu. I.** Features of the f.c.c.→f.c.t. transition in the paramagnetic range of the γ phase in Fe–Mn–C alloys **1,** 179
Privalova, N. N. *See* **Malygin, G. A., Vladimirova, G. V.** and **Privalova, N. N.** **5,** 158
Prokoshkin, S. D., Kaputkina, L. M., Bernshteyn, M. L. and **Mozzhukhin, V. Ye.** An X-ray diffraction investigation of the single-phase stage of martensite decomposition **6,** 99
Pushin, V. G., Smirnov, M. A., Kareva, N. T., Romanova, R. R., Smirnov, L. V. and **Rodionov, D. P.** Influence of high-temperature deformation on the structure and properties of maraging iron–nickel alloys with different types of strengthening phases **5,** 169
Pyatiletov, Yu. S. and **Tyapkina, O. G.** Dependence of rate of in-reactor creep on stress **4,** 154
Pyn'ko, V. G. *See* **Vasil'ev, B. V., Potseluyko, A. A.** and **Pyn'ko, V. G.** **5,** 179
Pyn'ko, V. G. *See* **Vasil'ev, B. V., Potseluyko, A. A.** and **Pyn'ko, V. G.** **6,** 166

Rabukhin, V. B. Role of triple junctions in grain-boundary anelasticity **1,** 159
Rakitina, Z. A. *See* **Kozlov, Yu. I.** and **Rakitina, Z. A.** **6,** 172
Ratishvili, I. G. Possible equilibrium states of the zirconium–hydrogen system in the low temperature range **4,** 34
Recheshter, N. I., Badinter, Ye. Ya., Yakunin, A. A., Bashev, V. F. and **Miroshnichenko, I. S.** Structure and properties of sputtered amorphous films of transition metal–metalloid alloys **6,** 160
Reymer, V. A. *See* **Sinitsyn, Ye. V.** and **Reymer, V. A.** **5,** 70
Reyngardt, A. Ye. *See* **Glozman, Ye. A., Mal'tsev, V. K., Reyngardt, A. Ye.** and **Tsifrinovich, V. I.** **6,** 152
Reytov, V. F. *See* **Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Petrova, L. V., Reytov, V. F.** and **Romanov, Ye. P.** **6,** 45
Rodionov, D. P. *See* **Pushin, V. G., Smirnov, M. A., Kareva, N. T., Romanova, R. R., Smirnov, L. V.** and **Rodionov, D. P.** **5,** 169
Rokhlin, L. L. An investigation of the decomposition of the supersaturated solid solution in alloys of magnesium with dysprosium **4,** 98
Romanov, A. Yu. On high frequency Doppler excitations in metals **6,** 24
Romanov, Ye. P. *See* **Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Petrova, L. V., Reytov, V. F.** and **Romanov, Ye. P.** **6,** 45

Romanova. R, R. *See* **Pushin, V. G., Smirnov, M. A., Kareva, N. T., Romanova, R. R., Smirnov, L. V.** and **Rodionov, D. P.** 5, 169
Rozenberg, Ye. A. *See* **Vlasov, K. B.** and **Rozenberg, Ye. A.** 1, 62
Rozhda, A. F. *See* **Yermolenko, A. S.** and **Rozhda, A. F.** 2, 53
Ruda, G. I. *See* **Khrushchov, M. M.** and **Ruda, G. I.** 5, 149
Rudchenko, V. V. *See* **Dudarev, Ye. F., Rudchenko, V. V.** and **Brovkov, V. A.** 4, 172
Rukman, G. I. *See* **Andreyev, V. I., Benditskiy, A. A., Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** 2, 190
Rusanenko, V. V. *See* **Zaytseva, R. D., Zakharova, N. A., Perkas, M. D., Rusanenko, V. V.** and **Shaposhnikov, N. G.** 1, 117
Ryaboshapka, K. P. *See* **Krivoglaz, M. A., Martynenko, O. V.** and **Ryaboshapka, K. P.** 1, 1
Rybalko, A. F. *See* **Volkov, V. A., Masharov, S. I.** and **Rybalko, A. F.** 4, 181
Rybin, V. V. *See* **Vergazov, A. N., Rybin, V. V.** and **Titovets, Yu. F.** 3, 126
Ryzhkov, V. G. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** 4, 108

Sagaradze, V. V. *See* **Korshunov, L. G., Sagaradze, V. V., Tereshchenko, N. A.** and **Chernenko, N. L.** 2, 123
Sagaradze, V. V., Zemtsova, N. D., Starchenko, Ye. I., Shabashov, V. A. and **Yurchikov, Ye. Ye.** Influence of magnetic ordering on the properties of austenite alloys 1, 99
Samoylenko, Z. A. *See* **Arkharov, V. I.** and **Samoylenko, Z. A.** 1, 127
Samsonidze, G. G., Orlov, A. N. and **Trushin, Yu. V.** The vacancy pump as a mechanism of precipitate growth during decomposition of solid solutions 4, 43
Sarrak, V. I., Filippov, G. A. and **Kush, G. G.** Trapping and solubility of hydrogen in maraging steel 2, 94
Sarrak, V. I. *See* **Zabil'skiy, V. V.** and **Sarrak, V. I.** 2, 148
Savinskiy, S. S. *See* **Demikhovskiy, V. Ya.** and **Savinskiy, S. S.** 3, 11
Savitskiy, Ye. M. *See* **Anikeyev, D. I., Zarembo, L. K., Karpachev, S. N., Kumskova, I. K., Chistyakov, O. D.** and **Savitskiy, Ye. M.** 3, 192
Savitskiy, Ye. M. *See* **Noskova, N. I., Pavlov, V. A., Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P.** and **Savitskiy, Ye. M.** 3, 149
Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L. and **Semicheva, T. G.** Martensitic transformations in low-cabon nickel-molybdenum steels 4, 89
Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Legostayev, Yu. L. and **Malyshevskiy, V. A.** Formation and stability of reverted austenite in low-carbon nickel-molybdenum steels 2, 99
Schastlivtsev, V. M. *See* **Dekun, A. M.** and **Schastlivtsev, V. M.** 5, 144
Seleznev, A. G. *See* **Shushakov, V. D., Seleznev, A. G., Kosulin, N. S.** and **Shushakova, T. V.** 2, 188
Semenov, V. G. *See* **Belozerskiy, G. N., Semenov, V. G.** and **Chekashova, S. A.** 5, 79
Semicheva, T. G. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** 4, 89
Shabalovskaya, S. A. *See* **Baturin, A. A., Lotkov, A. I.** and **Shabalovskaya, S. A.** 5, 187
Shabanova, I. N. *See* **Bragin, V. G., Shabanova, I. N., Kul'yabina, O. A.** and **Trapeznikov, V. A.** 4, 195

Shabashov, V. A. *See* **Sagaradze, V. V., Zemtsova, N. D., Starchenko, Ye. I., Shabashov, V. A.** and **Yurchikov, Ye. Ye.** 1, 99
Shalayev, V. I. *See* **Alyab'ev, V. M., Antonova, O. V., Lebedeva, L. N., Pavlov, V. A.** and **Shalayev, V. I.** 4, 159
Shaposhnikov, N. G. *See* **Zaytseva, R. D., Zakharova, N. A., Perkas, M. D., Rusanenko, V. V.** and **Shaposhnikov, N. G.** 1, 117
Shapovalov, V. I. and **Boyko, L. V.** On the anomalous solubility of hydrogen near the Curie point in ferromagnetic metals 6, 168
Shapovalov, V. I. and **Karpov, V. Yu.** Concerning the nature of the anomalous spontaneous deformation of iron in the presence of hydrogen 4, 165
Shavrov, V. G. *See* **Buchel'nikov, V. D.** and **Shavrov, V. G.** 5, 50
Shchegoleva, N. N. *See* **Teytel', Ye. I., Popov, A. G., Maykov, V. G., Magat, L. M., Shchegoleva, N. N.** and **Shur, Ya. S.** 2, 130
Shchegoleva, T. V. Crystallographic aspects of the decomposition of supersaturated aluminium solid solutions 2, 59
Sherman, D. G. *See* **Kulish, Ya. M., Lyubchenko, A. P.** and **Sherman, D. G.** 1, 191
Shestak, A. F. *See* **Baykov, A. P., Motorin, V. I., Musher, S. L.** and **Shestak, A. F.** 2, 106
Sheyko, L. M. *See* **Zolotarevskiy, I. V., Snezhnoy, V. I.** and **Sheyko, L. M.** 3, 115
Shirina, T. V. *See* **Gun'ko, L. P., Kozlova, L. Ye., Kokorin, V. V., Chernenko, V. A.** and **Shirina, T. V.** 5, 193
Shiryayev, V. I. *See* **Kamenetskaya, D. S., Maksimova, O. P.** and **Shiryayev, V. I.** 5, 121
Shmatov, V. T. *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** 2, 154
Shtayn, A. V. *See* **Chepurova, Ye. Ye.** and **Shtayn, A. V.** 6, 41
Shtin, A. P. *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Shtin, A. P.** and **Khanzina, T. A.** 6, 75
Shur, Ya. S. *See* **Ponomareva, O. I., Shur, Ya. S., Maykov, V. G.** and **Popov, A. G.** 6, 54
Shur, Ya. S. *See* **Teytel', Ye. I., Popov, A. G., Maykov, V. G., Magat, L. M., Shchegoleva, N. N.** and **Shur, Ya. S.** 2, 130
Shushakov, V. D., Seleznev, A. G., Kosulin, N. S. and **Shushakova, T. V.** On the $\alpha \rightleftarrows \beta$ transition in americium 2, 188
Shushakova, T. V. *See* **Shushakov, V. D., Seleznev, A. G., Kosulin, N. S.** and **Shushakova, T. V.** 2, 188
Sidokhin, Ye. F. *See* **Koshkarov, L. L., Moysh, Yu. V., Medvedev, M. P., Sidokhin, Ye. F.** and **Kamenetskaya, D. S.** 5, 127
Sidorenko, F. A. *See* **Borozdina, M. A., Karpov, Yu. G., Vereshchagin, Yu. A., Sidorenko, F. A., Pavlov, V. M.** and **Gel'd, P. V.** 6, 63
Sidorenko, F. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A.** and **Sidorenko, F. A.** 2, 176
Sidorenko, F. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Sidorenko, F. A.** and **Kuranov, A. A.** 4, 184
Sidorov, S. K. *See* **Chuyev, V. V., Kelarev, V. V., Pirogov, A. N., Sidorov, S. K.** and **Koryakova, V. S.** 3, 80
Sidorov, S. K. *See* **Dubinin, S. F., Teploukhov, S. G.** and **Sidorov, S. K.** 6, 109
Sidorov, S. K. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z.** and **Sidorov, S. K.** 6, 86

Silin, V. P. *See* **Okulov, V. I.** and **Silin, V. P.** 5, 1
Sinitsyn, Ye. V. and **Reymer, V. A.** Concentration dependence of remagnetization fields of disordered solid solutions 5, 70
Sirota, D. I., Kolmakova, N. P. and **Vasilevskaya, L. V.** Parametric excitation of non-uniform oscillations of domain walls by a high-frequency uniform magnetic field 3, 173
Skolozdra, R. V., Stadnik, Yu. V., Gorelenko, Yu. K., Yarmolyuk, Ya. P. and **Kruglyashov, S. B.** Magnetic properties of compound $HfFe_2Si_2$ 3, 52
Skripov, A. V. and **Stepanov, A. P.** Low-temperature singularities of nuclear magnetic resonance in V_3Ga 1, 77
Smirnov, L. V. *See* **Pushin, V. G., Smirnov, M. A., Kareva, N. T., Romanova, R. R., Smirnov, L. V.** and **Rodionov, D. P.** 5, 169
Smirnov, M. A., Kareva, N. T. and **Il'in, S. I.** Influence of high-temperature thermo-mechanical treatment on delayed rupture of a quenched engineering steel 2, 172
Smirnov, M. A. *See* **Koryagin, Yu. D., Kareva, N. T.** and **Smirnov, M. A.** 4, 187
Smirnov, M. A. Litvinov, V. S. and **Khadyyev, M. S.** Influence of HTMT on cold-shortness of an iron–manganese austenitic alloy 5, 183
Smirnov, M. A. *See* **Pushin, V. G., Smirnov, M. A., Kareva, N. T., Romanova, R. R., Smirnov, L. V.** and **Rodionov, D. P.** 5, 169
Snezhnoy, V. L. *See* **Zolotarevskiy, I. V., Snezhnoy, V. I.** and **Sheyko, L. M.** 3, 115
Sofronova, R. M. *See* **Novikov, I. I., Sofronova, R. M.** and **Chervinskiy, V. I.** 6, 127
Sokolov, B. K. *See* **Zaykova, V. A., Dragoshanskiy, Yu. N., Sokolov, B. K., Gubernatorov, V. V., Alekseyev, V. A.** and **Bykovskiy, G. S.** 5, 91
Sokolov, I. G. *See* **Belozerskiy, G. N., Gittsovich, V. N., Sosenushkin, Ye. M., Sokolov, I. G.** and **Chekashova, S. A.** 4, 150
Sokolov, N. A. *See* **Zakharchenko, I. V., Mal'tsev, V. A., Sotnikov, G. V.** and **Sokolov, N. A.** 5, 131
Sokolov, N. V. *See* **Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, N. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A.** and **Klevtsur, S. A.** 4, 108
Sokol'skiy, S. V. Change in density of basal dislocations in the intial stage of plastic deformation of magnesium single crystals 1, 147
Soldatova, Ye. A. *See* **Noskova, N. I., Pavlov, V. A., Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P.** and **Savitskiy, Ye. M.** 3, 149
Solov'ev, V. A. *See* **Pankova, M. N., Solov'ev, V. A. and Zaychenko, S. G.** 3, 142
Sorokina, L. P. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P., Morozova, S. G., Golubovskiy, Ye. R.** and **Yushakova, F. V.** 4, 118
Sosenushkin, Ye. M. *See* **Belozerskiy, G. N., Gittsovich, V. N., Sosenushkin, Ye. M., Sokolov, I. G.** and **Chekashova, S. A.** 4, 150
Soshnikov, V. I. *See* **Izotov, V. I., Omel'chenko, A. V., Pankratova, L. S.** and **Soshnikov, V. I.** 4, 76
Sotnikov, G. V. *See* **Zakharchenko, I. V., Mal'tsev, V. A., Sotnikov, G. V.** and **Sokolov, N. A.** 5, 131
Spasskiy, M. N. *See* **Bashchenko, A. P., Mettus, A. O., Spasskiy, M. N.** and **Orlenko, L. P.** 6, 148
Spasskiy, M. N., Gurevich, Ya. B., Vaganov, V. Ye. and **Astrakhantsev, M. S.** Influence of strain ageing of martensite by means of hydroextrusion on the fine structure and tough fracture surface relief in steel 30KhGSN2A 2. 143

Stadnik S, I. *See* **Vasil'eva, R. P., Myalikgulyyev, G. M.** and **Stadnik, S. I.** 1, 57
Stadnik Yu. V. *See* **Skolozdra, R. V., Stadnik, Yu. V., Gorelenko, Yu. K., Yarmolyuk, Ya. P.** and **Kruglyashov, S. B.** 3, 52
Starchenko, Ye. I. *See* **Sagaradze, V. V., Zemtsova, N. D., Starchenko, Ye. I., Shabashov, V. A.,** and **Yurchikov, Ye. Ye.** 1, 99
Stepanov, A. P. *See* **Skripov, A. V.** and **Stepanov A. P.** 1, 77
Stepanov, B. M, *See* **Andreyev, V. I., Benditskiy, A. A., Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** 2, 190
Stepanov I. A., Flomenblit, Yu. M. and **Zaymovskiy, V. A.** Influence of hydrogen on the temperature of the thermoelastic martensitic transformation in titanium nickelide 3, 180
Stepanov, S. I. *See* **Vaynshteyn, A. A., Gal'perina, B. A., Strizhak, V. A., Kuznetsov, L. M.** and **Stepanov, S. I.** 1, 177
Stolyarov, V. L. *See* **Kekalo, I. B., Stolyarov, V. L., Taranichev, V. Ye.** and **Tsvetkov, V. Yu.** 3, 56
Stolyarov, V. L. *See* **Kekalo, I. B., Stolyarov, V. L.** and **Tsvetkov, V. Yu.** 2, 22
Stolyarov, V. L. *See* **Kekalo, I. B., Stolyarov, V. L.** and **Tsvetkov, V. Yu.** 6, 67
Storchak, N. A. *See* **Trefilov, V. I., Storchak, N. A. Minakov, V. N., Manilov, V. A. Igolkina, L. S.** and **Zubets, Yu. Ye.** 4, 143
Strizhak, V. A. *See* **Vaynshteyn, A. A., Gal'perina, B. A., Strizhak, V. A., Kuznetsov, L. M.** and **Stepanov, S. I.** 1, 177
Strok, L. P. *See* **Georgiyev, M. N., Dogadushkin, V. Yu., Mezhova, N. Ya., Minayev, V. K.** and **Strok, L. P.** 3, 137
Sukhodolov, B. G. *See* **Kalinin, Yu. Ye., Sukhodolov, B. G., Zolotukhin, I. V.** and **Alekhin, V. P.** 2, 29
Svetlov, I. L. *See* **Kishkin, S. T., Svetlov, I. L., Ovchinskiy, A. S., Abalakin, N. P., Golubovskiy, Ye. R.** and **Gusev, Yu. S.** 1, 152
Svetlov, I. L. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P., Morozova, S. G., Golubovskiy, Ye. R.** and **Yushakova, F. V.** 4, 118

Takzey, G. A. *See* **Dorofeyev, Yu. A., Men'shikov, A. Z.** and **Takzey, G. A.** 5, 102
Taluts, N. I. *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** 2, 154
Tankeyev, A. P. The properties of domain walls in ferromagnetic plates of non-uniform thickness 1, 42
Taranichev, V. Ye. *See* **Kekalo, I. B., Stolyarov, V. L., Taranichev, V. Ye.** and **Tsvetkov, V. Yu.** 3, 56
Teploukhov, S. G. *See* **Dubinin, S. F., Teploukhov, S. G.** and **Sidorov, S. K.** 6, 109
Teplov, V. A. *See* **Pegushina, G. A.** and **Teplov, V. A.** 3, 106
Teplov, V. A. *See* **Yeshchenko, R. N., Teplov, V. A., Lyadskaya, G. A.** and **Beresnev, B. I.** 2, 159
Tereshchenko, N. A *See* **Korshunov, L. G., Segaradze, V. V., Tereshchenko, N. A.** and **Chernenko, N. L.** 2, 123
Teytel', Ye. I., Popov, A. G., Maykov, V. G., Magat, L. M., Shchegoleva, N. N. and **Shur, Ya. S.** Investigation of the phase composition, structure and magnetic properties of alloy $Sm_2Co_{10}Fe_{3.2}Cu_{1.2}Zr_{0.4}$ 2, 130
Tikhonov, N. A. *See* **Gol'tsov, V. A., Kirillov, V. A., Gorban', S. V., Karnaukh, O. I., Volynskaya, V. G.** and **Tikhonov, N. A.** 6, 113

Timoshchuk, V. I., Vlasov, K. B., Yermakov, A. Ye. and **Barinov, V. A.** Magnetic properties of amorphous powders of alloy Mn_3B_4 2, 49
Titovets, Yu. F. *See* **Verglazov, A. N., Rybin, V. V.** and **Titovets, Yu. F.** 3, 126
Tkachenko, A. V. *See* **Martynov, V. V., Enami, K., Khandros, L. G., Nenno, S.** and **Tkachenko, A. V.** 5, 136
Tolkachev, O. M. *See* **Milyukov, Yu. A.** and **Tolkachev, O. M.** 6, 12
Tomilov, S. B. *See* **Khimich, Yu. P., Belozerskiy, G. N., Gittsovich, V. N., Lyubarskiy, S. V., Tomilov, S. B.** and **Bel'chenko, G. V.** 3, 176
Trakhtenberg, I. Sh. *See* **Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye.** and **Trakhtenberg, I. Sh.** 3, 26
Trapeznikov, V. A. *See* **Bragin, V. G., Shabanova, I. N., Kul'yabina, O. A.** and **Trapeznikov, V. A.** 4, 195
Trefilov, V. I. *See* **Drachinskiy, A. S., Podrezov, Yu. N.** and **Trefilov, V. I.** 1, 140
Trefilov, V. I., Storchak, N. A., Minakov, V. N., Manilov, V. A., Igolkina, L. S. and **Zubets, Yu. Ye.** Features of structure formation during rolling of low-alloyed chromium at temperature 1400–1500 K 4, 143
Trofimova, L. N. 1*ee* **Berezina, A. L., Trofimova, L. N.** and **Chuistov, K. V.** 3, 111
Troitskiy, O. A., Baldokhin, Yu. V., Kir'yanchev, V. Ye., Ryzhkov, V. G., Kalugin, V. D., Sokolov, N. V., Klekovkin, A. A. and **Klevtsur, S. A.** Investigation of the structure and phase composition of stainless steel wire after electroplastic drawing 4, 108
Trushin, Yu. V. S*ee* **Samsonidze G. G., Orlov, A. N.** and **Trushin, Yu. V.** 4, 43
Tsifrinovich, V. I. *See* **Glozman, Ye. A., Mal'tsev, V. K., Reyngardt, A. Ye.** and **Tsifrinovich, V. I.** 6, 152
Tsiovkin, Yu. N. *See* **Kourov, N. I., Tsiovkin, Yu. N.** and **Volkenshteyn, N. V.** 5, 109
Tsvetkov, V. Yu. *See* **Kekalo, I. B., Stolyarov, V. L.** and **Tsvetkov, V. Yu.** 6, 67
Tsvetkov, V. Yu. *See* **Kekalo, I. B., Stolyarov, V. L., Taranichev, V. Ye.** and **Tsvetkov, V. Yu.** 3, 56
Tsvetkov, V. Yu. *See* **Kekalo, I. B., Stolyarov, V. L.** and **Tsvetkov, V. Yu.** 2, 22
Tyapkin, Yu. D. *See* **Maliyenko, Ye. I.** and **Tyapkin, Yu. D.** 1, 28
Tyupkina, O. G. *See* **Pyatiletov, Yu. S.** and **Tyupkina, O. G.** 4, 154

Ukhlinov, G. A. and **Kossakovskaya, Z. Ya.** The electrical conductivity of polycrystalline specimens of metals with shape-size texture 1, 50
Ustinov, A. I. *See* **Demin, S. A., Ustinov, A. I.** and **Chuistov, K. V.** 2, 165
Utevskiy, L. M., Eterashvili, T. V. and **Entin, R. I.** Concerning the morphology of retained austenite in engineering steels 4, 178
Uzdin, V. M. *See* **Gitsovich, V. N., Kondrat'ev, A. S.** and **Uzdin, V. M.** 4, 19

Vaganov, V. Ye. *See* **Spasskiy, M. N., Gurevich, Ya. B., Vaganov, V. Ye.** and **Astrakhantsev, M. S.** 2, 143
Valiyev, E. Z. Dispersion of the speed of sound in Fe–Ni invars 1, 185
Valiyev, R. Z., Gertsman, V. Yu. and **Kaybyshev, O. A.** Investigation of the changes in grain boundary structure during recrystallization of a magnesium alloy after small deformations 3, 121
Vasil'ev, B. V., Potseluyko, A. A. and **Pyn'ko, V. G.** Electron microscopic investigation of distribution of magnetization in small particles of iron and nickel 5, 179

Vasil'ev, B. V., Potseluyko, A. A. and **Pyn'ko, V. G.** Electron microscopic investigation of the magnetic state of a plane single-layer ensemble of small Fe and Fe–Co particles **6,** 166
Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Petrova, L. V., Reytov, V. F. and **Romanov, Ye. P.** Microstructure and superconductive properties of a niobium–titanium alloy saturated with helium **6,** 45
Vasil'eva, R. P., Myalikgulyyev, G. M. and **Stadnik, S. I.** Anisotropy of the anomalous Nernst–Ettinghausen effect in nickel–palladium single crystals **1,** 57
Vasil'eva, V. B. *See* **Zakharova, M. I.** and **Vasil'eva, V. B.** **3,** 188
Vasil'yeva, R. P., Panakhov, T. M. and **Guseynov, F. S.** Anomalies of the electrical resistivity in Ni_3Fe alloyed with Nb, Ta and V **6,** 155
Vasilevskaya, L. V. *See* **Sirota, D. I., Kolmakova N. P.** and **Vasilevskaya, L. V.** **3,** 173
Vaynshteyn, A. A., Gal'perina, B. A., Strizhak, V. A., Kuznetsov, L. M. and **Stepanov, S. I.** Determination of the elastic constants of single crystals in terms of the technical constants of polycrystals **1,** 177
Veprev, A. G. Electronic thermal conductivity of vanadium **1,** 12
Vereshchagin, Yu. A. *See* **Borozdina, M. A., Karpov, Yu. G., Vereshchagin, Yu. A., Sidorenko, F. A., Pavlov, V. M.** and **Gel'd, P. V.** **6,** 63
Vereshchagin, Yu. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A.** and **Gel'd, P. V.** **6,** 82
Vereshchagin, Yu. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Kuranov, A. A.** and **Sidorenko, F. A.** **2,** 176
Vereshchagin, Yu. A. *See* **Cherkashin, B. V., Vereshchagin, Yu. A., Sidorenko, F. A.** and **Kuranov, A. A.** **4,** 184
Vergazov, A. N., Rybin, V. V. and **Titovets, Yu. F.** The crystal geometric features of a subgranular structure and their relation with the deformation texture **3,** 126
Verkovskiy, S. V. *See* **Kruglov, V. F., Kruglovskiy, S. V.** and **Kleshchev, G. V.** **3,** 186
Veselov, Yu. G. *See* **Korotayev, A. D., Yesipenko, V. F., Chumlyakov, Yu. I., Bushnev, L. S.** and **Veselov, Yu. G.** **1,** 133
Vinitskiy, A. L. *See* **Popov, A. A., Anisimova, L. I., Vinitskiy, A. L., Denisov, Yu. P.** and **Lapin, O. G.** **4,** 114
Vinogradova, V. Ye. *See* **Gayduchenya, V. F.** and **Vinogradova, V. Ye.** **1,** 165
Vintaykin, Ye. Z. *See* **Belyatskaya, I. S., Vintaykin, Ye. Z.** and **Mezhennyy, Yu. O.** **5,** 115
Vitebskiy, I. M. Field-induced incommensurate structures and the concept of a soft mode **3,** 41
Vladimirova, G. V. *See* **Malygin, G. A., Vladimirova, G. V.** and **Privalova, N. N.** **5,** 158
Vlasov, K. B. and **Rozenberg, Ye. A.** Transverse quadratic galvanomagnetic effects in monocrystalline hematite near the Morin transition **1,** 62
Vlasov, K. B. *See* **Timoshchuk, V. I., Vlasov, K. B., Yermakov, A. Ye.** and **Barinov, V. A.** **2,** 49
Volkenshteyn, N. V. *See* **Kourov, N. I., Tsiovkin, Yu. N.** and **Volkenshteyn, N. V.** **5,** 109
Volkenshteyn, N. V. *See* **Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** **4,** 72
Volkov, A. V. and **Fionova, L. K.** Investigation of the structure of grain boundaries with special misorientation in tungsten **2,** 185
Volkov, A. Ye. *See* **Braynin, G. E., Volkov, A. Ye.** and **Likhachev, V. A.** **6,** 1
Volkov, V. A., Masharov, S. I. and **Rybalko, A. F.** The anomalous Hall effect in an antiferromagnetic metal **4,** 181

Volynskaya, V. G. *See* **Gol'tsov, V. A., Kirillov, V. A., Gorban', S. V., Karnaukh, O. I., Volynskaya, V. G.** and **Tikhonov, N. A.** 6, 113
Voronin, V. I. *See* **Davydov, S. A., Arkhipov, V. Ye. Voronin, V. I.** and **Goshchitskiy, B. N.** 5, 86
Voronin, V. I. *See* **Mirmel'shteyn, A. V., Kar'kin, A. Ye., Arkhipov, V. Ye.** and **Voronin, V. I.** 1, 67
Voronova, L. I. *See* **Noskova, N. I., Pavlov, V. A., Bregman, T. P., Soldatova, Ye. A., Voronova, L. I., Polyakova, V. P.** and **Savitskiy, Ye. M.** 3, 149
Vovk, Ya. N. *See* **Lysak, L. I., Danil'chenko, V. Ye., Vovk, Ya. N.** and **Okhrimenko, V. A.** 4, 83
Vul', D. A. and **Krivoglaz, M. A.** Electron energy and peculiarities of ordered systems with long periods. II. Existence of long period lattices at low temperatures 5, 29

Yakovleva, I. L. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Karzunov, S. Ye., Mirzayev, D. A., Morozov, O. P., Legostayev, Yu. L.** and **Semicheva, T. G.** 4, 89
Yakovleva, I. L. *See* **Schastlivtsev, V. M., Barmina, I. L., Yakovleva, I. L., Legostayev, Yu. L.** and **Malyshevskiy, V. A.** 2, 99
Yakunin, A. A. *See* **Recheshter, N. I., Badinter, Ye. Ya., Yakunin, A. A., Bashev, V. F.** and **Miroshnichenko, I. S.** 6, 160
Yarmolyuk, Ya. P. *See* **Skolozdra, R. V., Stadnik, Yu. V., Gorelenko, Yu. K., Yarmolyuk, Ya. P.** and **Kruglyashov, S. B.** 3, 52
Yelsukov, Ye. P., Barinov, V. A., Galakhov, V. R., Yurchikov, Ye. Ye. and **Yermakov, A. Ye.** The order–disorder transition during mechanical fragmentation of alloy Fe_3Si 2, 119
Yemel'yanov, D. A. *See* **Popov, V. V.** and **Yemel'yanov, D. A.** 4, 52
Yermakov, A. Ye. *See* **Timoshchuk, V. I., Vlasov, K. B., Yermakov, A. Ye.** and **Barinov, V. A.** 2, 49
Yermakov, A. Ye. *See* **Yelsukov, Ye. P., Barinov, V. A., Galakhov, V. R., Yurchikov, Ye. Ye.** and **Yermakov, A. Ye.** 2, 119
Yermakov, V. M. *See* **Gun'ko, L. P., Yermakov, V. M., Koval', Yu. N. Kozlova, L. Ye.** and **Kokorin, V. V.** 4, 104
Yermolayev, V. A. and **Likhachev, V. A.** A physical model of transformation plasticity 4, 59
Yermolenko, A. S. Magnetic properties of single crystals of compounds Pr_xY_{1-x} and $Pr_xSm_{1-x}Co_5$ 3, 74
Yermolenko, A. S. and **Rozhda, A. F.** Magnetocrystalline anisotropy of dysporium and erbium ions in RCo_5 compounds 2, 53
Yershov, V. M. High-temperature X-ray investigation of the transformation of cementite into austenite 3, 170
Yeshchenko, R. N., Teplov, V. A., Lyadskaya, G. A. and **Beresnev, B. I.** Influence of deformation and temperature on the structure and mechanical properties of a high-cobalt alloy 2, 159
Yesin, V. O. *See* **Porozkov, V. N., Yesin, V. O.** and **Danilyuk, V. I.** 1, 188
Yesina, N. K. *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Shtin, A. P.** and **Khanzina, T. A.** 6, 75
Yesipenko, V. F. *See* **Korotayev, A. D., Yesipenko, V. F., Chumlyakov, Yu. I., Bushnev, L. S.** and **Veselov, Yu. G.** 1, 133
Yurchikov, Ye. Ye. *See* **Sagaradze, V. V., Zemtsova, N. D., Starchenko, Ye. I., Shabashov, V. A.** and **Yurchikov, Ye. Ye.** 1, 99
Yurchikov, Ye. Ye. *See* **Yelsukov, Ye. P., Barinov, V. A., Galakhov, V. R., Yurchikov, Ye. Ye.** and **Yermakov, A. Ye.** 2, 119

Yushakova, F. V. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P., Morozova, S. G., Golubovskiy, Ye. R.** and **Yushakova, F. V.** 4, 118
Yushkov, V. I. *See* **Mityushov, Ye. A., Adamesku, R. A.** and **Yushkov, V. I.** 6, 32

Zabil'skiy, V. V. and **Sarrak, V. I.** Recovery of the properties and the nature of strengthening in steels tempered under load 2, 148
Zakharchenko, I. G., Nemoshkalenko, V. V., and **Kshnyakin, V. S.** The influence of V and Zr on rolling texture, recrystallization and anisotropy of Young's modulus in Ti–V and Ti–Zr alloys 3, 101
Zakharchenko, I. V., Mal'tsev, V. A., Sotnikov, G. V. and **Sokolov, N. A.** An X-ray diffraction investigation of radiation defects in superconducting compound V_3Si 5, 131
Zakharova, M. I. and **Vasil'eva, V. B.** The influence of two-stage ageing on structure transformations in β zirconium alloys 3, 188
Zakharova, N. A. *See* **Zaytseva, R. D., Zakharova, N. A., Perkas, M. D., Rusanenko, V. V.** and **Shaposhnikov, N. G.** 1, 117
Zarembo, L. K. *See* **Anikeyev, D. I., Zarembo, L. K., Karpachev, S. N., Kumskova, I. K., Chistyakov, O. D.** and **Savitskiy, Ye. M.** 3, 192
Zaychenko, S. G. *See* **Pankova, M. N., Solov'ev, V. A.** and **Zaychenko, S. G.** 3, 142
Zaykova, V. A., Dragoshanskiy, Yu. N., Sokolov, B. K., Gubernatorov, V. V., Alekseyev, V. A. and **Bykovskiy, G. S.** The influence of degree of perfection of texutre and crystal grain size on electromagnetic losses in a thin anisotropic Fe–3% Si tape 5, 91
Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Shtin, A. P. and **Khanzina, T. A.** Role of the macrostructure of a thin anisotropic Fe–3% Si ribbon in electromagnetic losses during exposure to elastic influences 6, 75
Zaymovskiy, V. A. *See* **Stepanov, I. A., Flomenblit, Yu. M.** and **Zaymovskiy, V. A.** 3, 180
Zaytseva, R. D., Zakharova, N. A., Perkas, M. D., Rusanenko, V. V. and **Shaposhnikov, N. G.** Investigation of the maraging of Fe–Ni–Si alloys and the influence of cobalt on the process 1, 117
Zemtsova, N. D. *See* **Sagaradze, V. V., Zemtsova, N. D., Starchenko, Ye. I., Shabashov, V. A.** and **Yurchikov, Ye. Ye.** 1, 99
Zhdan, G. T. *See* **Vasilev, P. G., Goncharov, I. N., Zhdan, G. T., Ibragimov, Sh. Sh., Prtrova, L. V., Reytov, V. F.** and **Romanov, Ye. P.** 6, 45
Zhukarev, A. S. A micromagnetic investigation of stripe domains 4, 24
Zolotarevskiy, I. V., Snezhnoy, V. I. and **Sheyko, L. M.** Magnetostriction of the austenite of iron–nickel–manganese alloys and the martensitic transformation induced by a strong magnetic field 3, 115
Zolotukhin, I. V. *See* **Kalinin, Yu. Ye., Sukhodolov, B. G., Zolotukhin, I. V.** and **Alekhin, V. P.** 2, 29
Zotov, V. S. *See* **Deshkevich, Ye. V., Dubovtsev, R. M.** and **Zotov, V. S.** 1, 168
Zubets, Yu. Ye. *See* **Trefilov, V. I., Storchak, N. A., Minakov, V. N., Manilov, V. A., Igolkin, L. S.** and **Zubets, Yu. Ye.** 4, 143